

Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Remove-NetLbfoTeamNic'

PS:\>Get-HELP Remove-NetLbfoTeamNic -Fu	PS:\>	Get-HFL	P Remove	-NetLbfo	TeamNic -	-Ful
---	-------	---------	----------	----------	-----------	------

NAME

Remove-NetLbfoTeamNic

SYNOPSIS

Removes a team interface from a NIC team.

SYNTAX

Remove-NetLbfoTeamNic [-AsJob] [-CimSession <CimSession[]>] [-Confirm] -InputObject <CimInstance[]> [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]

Remove-NetLbfoTeamNic [-Team] <String[]> [-VlanID] <UInt32[]> [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]

[<CommonParameters>]

DESCRIPTION

The Remove-NetLbfoTeamNic cmdlet removes a team interface from the NIC team. The name of a team interface is the team name followed by the VLAN value of this team

interface. You can identify a team interface either by its name, its associated VLAN ID, or its default property. Page 1/6

This cmdlet does not remove the team interface created when the team was created. To remove the team interface created when the team was created, you must remove the

team by using the Remove-NetLbfoTeam cmdlet.

You need administrator privileges to use Remove-NetLbfoTeamNic .

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession

(https://go.microsoft.com/fwlink/p/?LinkId=227967)

[Get-CimSession](https://go.microsoft.com/fwlink/p/?LinkId=227966)cmdlet. The default is the current session on the local computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm [<SwitchParameter>]

or

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-Team <String[]>

Specifies the name of the NIC team from which to remove the team interface.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShellr calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-VlanID <UInt32[]>

Specifies the VLAN ID of the team interface to remove.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

This cmdlet supports the common parameters: Verbose, Debug	J ,	
ErrorAction, ErrorVariable, WarningAction, WarningVariable,		
OutBuffer, PipelineVariable, and OutVariable. For more information	ation, see	
about_CommonParameters (https:/go.microsoft.com/fwlink/?Lii	nkID=113216).	
INPUTS		
None		
This cmdlet takes no input objects.		
OUTPUTS		
None		
By default, this cmdlet produces no output.		
NOTEO		
NOTES		
Example 1: Remove a team interface		
Example 1. Nemove a team interface		
PS C:\>Remove-NetLbfoTeamNIC -Team "Team1 - VLAN 42"		
This command removes a team interface named Team1 - VLAN 4	12 from the team Team1.	
RELATED LINKS		
	Online	Version
https://learn.microsoft.com/powershell/module/netlbfo/remove-netlbf	oteamnic?view=windowsserver2022-	ps&wt.mc_id=ps-g
ethelp		
Add-NetLbfoTeamNic		

Page 5/6

<CommonParameters>

Get-NetLbfoTeamNic

Set-NetLbfoTeamNic