



## ***Windows PowerShell Get-Help on Cmdlet 'Remove-NetSwitchTeamMember'***

***PS:\>Get-HELP Remove-NetSwitchTeamMember -Full***

### NAME

Remove-NetSwitchTeamMember

### SYNOPSIS

Removes a network adapter member from a switch team.

### SYNTAX

```
Remove-NetSwitchTeamMember [-Name] <String> [-Team] <String> [-AsJob] [-CimSession <CimSession[]>]
[-ThrottleLimit <Int32>] [<CommonParameters>]
```

### DESCRIPTION

The Remove-NetSwitchTeamMember cmdlet removes a network adapter team member from the specified switch team. The specified switch team must be an existing switch team. The member designated must exist in the specified switch team.

### PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

**-CimSession <CimSession[]>**

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession`

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

[`Get-CimSession`](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

**-Name <String>**

Specifies the name of the switch team member or an object that represents a part of a switch team. The adapter names are the `IfAlias` names, such as `Ethernet 2`.

Required?	true
Position?	0
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

**-Team <String>**

Specifies the name of switch team from which to remove the network adapter. The switch team must already exist and

must be a switch team.

Required?	true
Position?	1
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

#### **-ThrottleLimit <Int32>**

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

#### **<CommonParameters>**

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about\\_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

## **INPUTS**

None

## **OUTPUTS**

None

## NOTES

----- Example 1: Remove a member from a team -----

```
PS C:\>Remove-NetSwitchTeamMember -Team "SwitchTeam01" -Member "Ethernet 2"
```

This command removes the network adapter named Ethernet 2 from the switch team named SwitchTeam01.

## RELATED LINKS

Online

Version:

[https://learn.microsoft.com/powershell/module/netswitchteam/remove-netswitchteammember?view=windowsserver2022-ps&wt.mc\\_id=ps-gethelp](https://learn.microsoft.com/powershell/module/netswitchteam/remove-netswitchteammember?view=windowsserver2022-ps&wt.mc_id=ps-gethelp)

Add-NetSwitchTeamMember

Get-NetSwitchTeamMember