



## ***Windows PowerShell Get-Help on Cmdlet 'Remove-PrinterPort'***

***PS:\>Get-HELP Remove-PrinterPort -Full***

### NAME

Remove-PrinterPort

### SYNOPSIS

Removes the specified printer port from the specified computer.

### SYNTAX

```
Remove-PrinterPort [-Name] <String[]> [-AsJob] [-CimSession <CimSession[]>] [-ComputerName <String>] [-Confirm]
[-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]

[<CommonParameters>]
```

```
Remove-PrinterPort [-AsJob] [-CimSession <CimSession[]>] [-Confirm] -InputObject <CimInstance[]> [-PassThru]
[-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

### DESCRIPTION

The Remove-PrinterPort cmdlet removes the specified printer port from the specified computer.

Get-PrinterPort.

You can use wildcard characters with Remove-PrinterPort . You can use Remove-PrinterPort in a Windows PowerShell remoting session.

You do not need administrator credentials to run Remove-PrinterPort .

## PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

[Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ComputerName <String>

Specifies the name of the computer from which to remove the printer port.

Required? false  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

**-Confirm [<SwitchParameter>]**

Prompts you for confirmation before running the cmdlet.

Required? false  
Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

**-InputObject <CimInstance[]>**

Specifies the input object that is used in a pipeline command.

Required? true  
Position? named  
Default value None  
Accept pipeline input? True (ByValue)  
Accept wildcard characters? false

**-Name <String[]>**

Specifies the name of the printer port to remove.

Required? true  
Position? 0  
Default value None  
Accept pipeline input? True (ByPropertyName)  
Accept wildcard characters? false

#### `-PassThru [<SwitchParameter>]`

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

#### `-ThrottleLimit <Int32>`

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit applies only to the current cmdlet, not to the session or to the computer.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

#### `-WhatIf [<SwitchParameter>]`

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

## <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about\\_CommonParameters](https://go.microsoft.com/fwlink/?LinkID=113216) (<https://go.microsoft.com/fwlink/?LinkID=113216>).

## INPUTS

System.String[]

Microsoft.Management.Infrastructure.CimInstance[]

## OUTPUTS

Microsoft.Management.Infrastructure.CimInstance

Microsoft.Management.Infrastructure.CimInstance#ROOT/StandardCimv2/MSFT\_PrinterPort

## NOTES

----- Example 1: Remove a specified printer port -----

Remove-PrinterPort -Name "LocalPort:"

This command removes the printer port named LocalPort: from the computer.

## RELATED LINKS

Online

Version:

[https://learn.microsoft.com/powershell/module/printmanagement/remove-printerport?view=windowsserver2022-ps&wt.mc\\_id=ps-gethelp](https://learn.microsoft.com/powershell/module/printmanagement/remove-printerport?view=windowsserver2022-ps&wt.mc_id=ps-gethelp)

Get-PrinterPort

Add-PrinterPort