



Windows PowerShell Get-Help on Cmdlet 'Remove-SFTPSession'

PS:\>Get-HELP Remove-SFTPSession -Full

NAME

Remove-SFTPSession

SYNOPSIS

Close and Remove a SFTP Session

SYNTAX

Remove-SFTPSession [-SessionId] <Int32[]> [<CommonParameters>]

Remove-SFTPSession [[-SFTPSession] <SftpSession[]>] [<CommonParameters>]

DESCRIPTION

Close and Remove a SFTP Session specified by Index or SFTP Session Object.

PARAMETERS

-SessionId <Int32[]>

SFTP Session Id of an exiting session.

Required?	true
Position?	0
Default value	None
Accept pipeline input?	True (ByPropertyName)
Accept wildcard characters?	false

-SFTPSession <SftpSession[]>

SFTP Session Object of an exiting session.

Required?	false
Position?	0
Default value	None
Accept pipeline input?	True (ByValue)
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.Int32[]

SSH.SftpSession[]

OUTPUTS

NOTES

----- EXAMPLE 1 -----

```
Remove-SFTPSession -SessionId 0 -Verbose
```

```
VERBOSE: 0
```

```
VERBOSE: Removing session 0
```

```
True
```

```
VERBOSE: Session 0 Removed
```

RELATED LINKS

Online Version: <https://github.com/darkoperator/Posh-SSH/tree/master/docs>