



## ***Windows PowerShell Get-Help on Cmdlet 'Remove-VpnConnectionTriggerApplication'***

***PS:\>Get-HELP Remove-VpnConnectionTriggerApplication -Full***

### NAME

Remove-VpnConnectionTriggerApplication

### SYNOPSIS

Removes a trigger application from a VPN connection object.

### SYNTAX

```
Remove-VpnConnectionTriggerApplication [-ConnectionName] <String> [-ApplicationID] <String[]> [-AsJob] [-CimSession  
<CimSession[]>] [-Confirm] [-Force] [-PassThru]  
[-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

### DESCRIPTION

The Remove-VpnConnectionTriggerApplication cmdlet removes a trigger application from a VPN connection object. After you remove an application from the VPN connection,

when the client accesses that application, it no longer triggers the VPN connection.

### PARAMETERS

-ApplicationID <String[]>

Specifies an array of unique identifiers for an application. For legacy desktop applications, the application identifier is the application path. For modern applications, it is the Package Family Name of the application.

Required? true

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

[Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

#### -Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

#### -ConnectionName <String>

Specifies the name of a VPN connection profile. To view existing VPN connection profiles, use the Get-VpnConnection cmdlet.

A VPN connection profile includes connection types, group policy settings, and names of authentication, authorization, and accounting servers.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

#### -Force [<SwitchParameter>]

Forces the command to run without asking for user confirmation.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

#### -PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any

output. If you specify this parameter, the

cmdlet returns the VpnConnectionTriggerApplication object that contains the applications configured for VPN trigger.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

#### **-ThrottleLimit <Int32>**

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

#### **-WhatIf [<SwitchParameter>]**

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

#### **<CommonParameters>**

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,  
OutBuffer, PipelineVariable, and OutVariable. For more information, see  
about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

## INPUTS

## OUTPUTS

Microsoft.Management.Infrastructure.CimInstance#VpnConnectionTriggerApplication

## NOTES

---- Example 1: Remove a VPN connection trigger application ----

```
PS C:\> Remove-VpnConnectionTriggerApplication -ConnectionName "Contoso" -ApplicationID  
"C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe", "Microsoft.RemoteDesktop_Contoso0987" -PassThru  
-Force  
ConnectionName : Contoso
```

```
ApplicationID : {C:\Windows\System32\WindowsPowerShell\v1.0\powershell.exe,  
Microsoft.RemoteDesktop_Contoso0987}
```

This command uses the Remove-VpnConnectionTriggerApplication cmdlet to remove the trigger applications by using the ApplicationID parameter. The command also specifies the PassThru and Force parameters.

## RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/vpnclient/remove-vpnconnectiontriggerapplication?view=windows-server-2022->

ps&wt.mc\_id=ps-gethelp

Add-VpnConnectionTriggerApplication