



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Rename-LocalGroup'

PS:\>Get-HELP Rename-LocalGroup -Full

NAME

Rename-LocalGroup

SYNOPSIS

Renames a local security group.

SYNTAX

```
Rename-LocalGroup [-InputObject] <Microsoft.PowerShell.Commands.LocalGroup> [-NewName] <System.String>
[-Confirm] [-WhatIf] [<CommonParameters>]
```

```
Rename-LocalGroup [-Name] <System.String> [-NewName] <System.String> [-Confirm] [-WhatIf]
[<CommonParameters>]
```

```
Rename-LocalGroup [-SID] <System.Security.Principal.SecurityIdentifier> [-NewName] <System.String> [-Confirm]
[-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Rename-LocalGroup cmdlet renames a local security group.

> [!NOTE] > The Microsoft.PowerShell.LocalAccounts module is not available in 32-bit PowerShell on a 64-bit > system.

PARAMETERS

-InputObject <Microsoft.PowerShell.Commands.LocalGroup>

Specifies the security group that this cmdlet renames. To obtain a security group, use the Get-LocalGroup cmdlet.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName, ByValue)

Accept wildcard characters? false

-Name <System.String>

Specifies the name of the security group that this cmdlet renames.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName, ByValue)

Accept wildcard characters? false

-NewName <System.String>

Specifies a new name for the security group.

Required? true

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-SID <System.Security.Principal.SecurityIdentifier>

Page 2/5

Specifies the security ID (SID) of a security group that this cmdlet renames.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName, ByValue)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

System.Management.Automation.SecurityAccountsManager.LocalGroup

You can pipe a security group to this cmdlet.

System.String

You can pipe a string to this cmdlet.

System.Security.Principal.SecurityIdentifier

You can pipe a SID to this cmdlet.

OUTPUTS

None

This cmdlet returns no output.

NOTES

Windows PowerShell includes the following aliases for `Rename-LocalGroup`:

- `rnlg`

The PrincipalSource property is a property on LocalUser , LocalGroup , and LocalPrincipal objects that describes the source of the object. The possible sources

are as follows:

- Local

- Active Directory

- Microsoft Entra group

- Microsoft Account PrincipalSource is supported only by Windows 10, Windows Server 2016, and later versions of the

Windows operating system. For earlier versions, the property is blank.

----- Example 1: Change the name of a group -----

```
PS C:\> Rename-LocalGroup -Name "SecurityGroup" -NewName "SecurityGroup04"
```

This command renames a security group named SecurityGroup.

RELATED LINKS

Online

Version:

[https://learn.microsoft.com/powershell/module/microsoft.powershell.localaccounts/rename-localgroup?view=powershell-5.1](https://learn.microsoft.com/powershell/module/microsoft.powershell.localaccounts/rename-localgroup?view=powershell-5.1&WT.mc_id=ps-gethelp)

[Get-LocalGroup](#)

[New-LocalGroup](#)

[Remove-LocalGroup](#)

[Set-LocalGroup](#)