



Windows PowerShell Get-Help on Cmdlet 'Rename-NetLbfoTeam'

PS:\>Get-HELP Rename-NetLbfoTeam -Full

NAME

Rename-NetLbfoTeam

SYNOPSIS

Renames a NIC team.

SYNTAX

Rename-NetLbfoTeam [-Name] <String> [-NewName] <String> [-AsJob] [-CimSession <CimSession[]>] [-Confirm]
[-PassThru] [-ThrottleLimit <Int32>] [-WhatIf]
[<CommonParameters>]

DESCRIPTION

The Rename-NetLbfoTeam cmdlet renames the specified NIC team to the specified new name. Also updates the team interface names accordingly, if they use default values.

You must have administrator rights to run Rename-NetLbfoTeam .

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

[Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-Name <String>

Specifies the name of the NIC team to rename.

Required?	true
Position?	0
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-NewName <String>

Specifies the new name of the NIC team.

Required?	true
Position?	1
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-PassThru [<SwitchParameter>]

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

None

This cmdlet takes no input objects.

OUTPUTS

MSFT_NetLbfoTeam

If the PassThru parameter is specified, this cmdlet produces newly renamed team object. If the PassThru parameter is not specified, there is no output.

NOTES

----- Example 1: Rename a team -----

```
PS C:\> Rename -NetLbfoTeam -Name "Team1" -NewName "TeamA"
```

This command renames the team named Team1 to TeamA.

RELATED LINKS

Online

Version:

https://learn.microsoft.com/powershell/module/netlbfo/rename-netlbfoTeam?view=windowsserver2022-ps&wt.mc_id=ps-gethelp

Get-NetLbfoTeam

New-NetLbfoTeam

Remove-NetLbfoTeam

Set-NetLbfoTeam