



Windows PowerShell Get-Help on Cmdlet 'Reset-AzSynapseSqlAuditSetting'

PS:\>Get-HELP Reset-AzSynapseSqlAuditSetting -Full

NAME

Reset-AzSynapseSqlAuditSetting

SYNOPSIS

Removes the auditing settings of an Azure Synapse Analytics Workspace.

SYNTAX

```
Reset-AzSynapseSqlAuditSetting [[-ResourceGroupName] <System.String>] [-WorkspaceName] <System.String>
[-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
[<CommonParameters>]

Reset-AzSynapseSqlAuditSetting [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -ResourceId
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

Reset-AzSynapseSqlAuditSetting [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -WorkspaceObject
<Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace> [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Reset-AzSynapseSqlAuditSetting cmdlet removes the auditing settings of an Azure Synapse Analytics Workspace.

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource group name.

Required? false

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

Resource identifier of Synapse workspace.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-WorkspaceName <System.String>

Name of Synapse workspace.

Required? true

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-WorkspaceObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace>

workspace input object, usually passed through the pipeline.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,
ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace

OUTPUTS

System.Boolean

NOTES

----- Example 1 -----

```
Reset-AzSynapseSqlAuditSetting -WorkspaceName ContosoWorkspace
```

This command removes the auditing settings of an Azure Synapse Analytics Workspace named ContosoWorkspace.

----- Example 2 -----

```
Get-AzSynapseWorkspace -Name ContosoWorkspace | Reset-AzSynapseSqlAuditSetting
```

This command removes the auditing settings of an Azure Synapse Analytics Workspace named ContosoWorkspace through pipeline.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.synapse/reset-azsynapsesqlauditsetting>