



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Reset-AzSynapseSqlPoolAuditSetting'

PS:\>Get-HELP Reset-AzSynapseSqlPoolAuditSetting -Full

NAME

Reset-AzSynapseSqlPoolAuditSetting

SYNOPSIS

Removes the auditing settings of an Azure Synapse Analytics SQL pool.

SYNTAX

```
Reset-AzSynapseSqlPoolAuditSetting [[-ResourceGroupName] <System.String>] [-WorkspaceName] <System.String>
[-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -SqlPoolName
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]
```

Reset-AzSynapseSqlPoolAuditSetting [-DefaultProfile

```
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -ResourceId
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]
```

Reset-AzSynapseSqlPoolAuditSetting [-DefaultProfile

```
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -SqlPoolName
<System.String> -WorkspaceObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace> [-Confirm]
```

[-WhatIf] [<CommonParameters>]

Reset-AzSynapseSqlPoolAuditSetting

[-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -SqlPoolObject

<Microsoft.Azure.Commands.Synapse.Models.PSSynapseSqlPool> [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Reset-AzSynapseSqlPoolAuditSetting cmdlet removes the auditing settings of an Azure Synapse Analytics SQL pool.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource group name.

Required? false

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

Resource identifier of Synapse SQL Pool.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-SqlPoolName <System.String>

Name of Synapse SQL pool.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-SqlPoolObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseSqlPool>

SQL pool input object, usually passed through the pipeline.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-WorkspaceName <System.String>

Name of Synapse workspace.

Required? true
Position? 1
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-WorkspaceObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace>

workspace input object, usually passed through the pipeline.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace

Microsoft.Azure.Commands.Synapse.Models.PSSynapseSqlPool

OUTPUTS

System.Boolean

NOTES

----- Example 1 -----

```
Reset-AzSynapseSqlPoolAuditSetting -WorkspaceName ContosoWorkspace -Name ContosoSqlPool
```

This command removes the auditing settings of a SQL pool called ContosoSqlPool in the workspace ContosoWorkspace.

----- Example 2 -----

```
Get-AzSynapseSqlPool      -WorkspaceName    ContosoWorkspace     -Name      ContosoSqlPool    |
```

```
Reset-AzSynapseSqlPoolAuditSetting
```

This command removes the auditing settings of a SQL pool called ContosoSqlPool in the workspace ContosoWorkspace through pipeline.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.synapse/reset-azsynapsesqlpoolauditsetting>