



Windows PowerShell Get-Help on Cmdlet 'Reset-AzSynapseSqlPoolVulnerabilityAssessmentSetting'

PS:\>Get-HELP Reset-AzSynapseSqlPoolVulnerabilityAssessmentSetting -Full

NAME

Reset-AzSynapseSqlPoolVulnerabilityAssessmentSetting

SYNOPSIS

Clears the vulnerability assessment settings of a SQL pool.

SYNTAX

Reset-AzSynapseSqlPoolVulnerabilityAssessmentSetting [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject

<Microsoft.Azure.Commands.Synapse.Models.PSSynapseSqlPool>

[-PassThru] [-Confirm] [-WhatIf] [<CommonParameters>]

Reset-AzSynapseSqlPoolVulnerabilityAssessmentSetting [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name

<System.String> [-PassThru] [-ResourceGroupName <System.String>]

-WorkspaceName <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

Reset-AzSynapseSqlPoolVulnerabilityAssessmentSetting [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Name

<System.String> [-PassThru] -WorkspaceObject

<Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace> [-Confirm] [-WhatIf] [<CommonParameters>]

Reset-AzSynapseSqlPoolVulnerabilityAssessmentSetting [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru]

-ResourceId <System.String> [-Confirm] [-WhatIf]

[<CommonParameters>]

DESCRIPTION

The `Reset-AzSynapseSqlPoolVulnerabilityAssessmentSetting` cmdlet removes the vulnerability assessment settings of an Azure Synapse Analytics SQL pool. Note that you

need to run `Enable-AzSynapseSqlAdvancedDataSecurity` cmdlet as a prerequisite for using this cmdlet.

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseSqlPool>

SQL pool input object, usually passed through the pipeline.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

Name of Synapse SQL pool.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

This Cmdlet does not return an object by default. If this switch is specified, it returns true if successful.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource group name.

Required? false

Position? named

Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceId <System.String>

Resource identifier of Synapse SQL Pool.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-WorkspaceName <System.String>

Name of Synapse workspace.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-WorkspaceObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace>

workspace input object, usually passed through the pipeline.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

Microsoft.Azure.Commands.Synapse.Models.PSSynapseWorkspace

Microsoft.Azure.Commands.Synapse.Models.PSSynapseSqlPool

OUTPUTS

System.Boolean

NOTES

----- Example 1 -----

```
Reset-AzSynapseSqlPoolVulnerabilityAssessmentSetting -WorkspaceName ContosoWorkspace -Name ContosoSqlPool
```

This command clears the vulnerability assessment settings of a SQL pool named ContosoSqlPool.

----- Example 2 -----

```
Get-AzSynapseSqlPool -WorkspaceName ContosoWorkspace -Name ContosoSqlPool |  
Reset-AzSynapseSqlPoolVulnerabilityAssessmentSetting
```

This command clears the vulnerability assessment settings of a SQL pool named ContosoSqlPool through pipeline.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.synapse/reset-azsynapsesqlpoolvulnerabilityassessmentsetting>