



Windows PowerShell Get-Help on Cmdlet 'Reset-DAClientExperienceConfiguration'

PS:\>Get-HELP Reset-DAClientExperienceConfiguration -Full

NAME

Reset-DAClientExperienceConfiguration

SYNOPSIS

Restores the specified DirectAccess client configuration to the defaults.

SYNTAX

Reset-DAClientExperienceConfiguration [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-CorporateResources]
[-CustomCommands] [-ForceTunneling] [-FriendlyName]

[-GPOSession <String>] [-GslbFqdn] [-IPsecTunnelEndpoints] [-ManualEntryPointSelectionAllowed] [-PassThru]
[-PassiveMode] [-PolicyStore <String>]

[-PreferLocalNamesAllowed] [-SupportEmail] [-ThrottleLimit <Int32>] [-UserInterface] [-WhatIf] [<CommonParameters>]

Reset-DAClientExperienceConfiguration [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-CorporateResources]
[-CustomCommands] [-ForceTunneling] [-FriendlyName]

[-GslbFqdn] [-IPsecTunnelEndpoints] -InputObject <CimInstance[]> [-ManualEntryPointSelectionAllowed] [-PassThru]
[-PassiveMode] [-PreferLocalNamesAllowed]

[-SupportEmail] [-ThrottleLimit <Int32>] [-UserInterface] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The `Reset-DAClientExperienceConfiguration` cmdlet restores the specified DirectAccess client configuration to the defaults.

All `DAClientExperienceConfiguration` cmdlets have an ADMX file which can also configure these settings.

PARAMETERS

`-AsJob [<SwitchParameter>]`

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

The cmdlet immediately returns an object that represents the job and then displays the command prompt. You can continue to work in the session while the job

completes. To manage the job, use the ``*-Job`` cmdlets. To get the job results, use the `Receive-Job` (<https://go.microsoft.com/fwlink/?LinkID=113372>) cmdlet.

For more information about Windows PowerShell background jobs, see `about_Jobs` (<https://go.microsoft.com/fwlink/?LinkID=113251>).

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

`-CimSession <CimSession[]>`

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a `New-CimSession`

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

`[Get-CimSession]`(<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-CorporateResources [<SwitchParameter>]

Resets the CorporateResources property of the specified configuration to a non-configured state.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-CustomCommands [<SwitchParameter>]

Resets the CustomCommands property of the specified configuration to a non-configured state.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-ForceTunneling [<SwitchParameter>]

Resets the ForceTunneling property of the specified configuration to a non-configured state.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-FriendlyName [<SwitchParameter>]

Resets the FriendlyName property of the specified configuration to a non-configured state.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-GPOMSession <String>

Specifies the Group Policy session to send configuration information. You can use GPOMSession with the NetGPO cmdlets to aggregate multiple operations performed on a Group Policy Object. GPOMSession cannot be used in conjunction with PolicyStore .

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-GslbFqdn [<SwitchParameter>]

Resets the GslbFqdn property of the specified configuration to a non-configured state.

Required?	false
-----------	-------

Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-IPsecTunnelEndpoints [<SwitchParameter>]

Resets the IPsecTunnelEndpoints property of the specified configuration to a non-configured state.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-InputObject <CimInstance[]>

Specifies the input object that is used in a pipeline command.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-ManualEntryPointSelectionAllowed [<SwitchParameter>]

Resets the ManualEntryPointSelectionAllowed property of the specified configuration to a non-configured state.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-PassThru [<SwitchParameter>]

Sends items from an interactive window down the pipeline as input to other cmdlets. By default, this cmdlet does not generate any output. However, to send items

from the interactive window down the pipeline, click to select the items and then click OK. Shift-click and Ctrl-click are supported.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-PassiveMode [<SwitchParameter>]

Resets the PassiveMode property of the specified configuration to a non-configured state.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-PolicyStore <String>

Specifies the policy store into which the cmdlet adds the reset configuration properties.

To add the reset configuration properties to a Group Policy Object, specify the GPO name using the format "Domain\GPOName".

To add the reset configuration properties to a computer's local GPO, specify the computer's local GPO name in the format "GPO:<computername>". PolicyStore cannot be used in conjunction with GPOSession .

Required?	false
Position?	named
Default value	None

Accept pipeline input? False

Accept wildcard characters? false

-PreferLocalNamesAllowed [<SwitchParameter>]

Resets the PreferLocalNamesAllowed property of the specified configuration to a non-configured state.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-SupportEmail [<SwitchParameter>]

Resets the SupportEmail property of the specified configuration to a non-configured state.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-UserInterface [<SwitchParameter>]

Resets the UserInterface property of the specified configuration to a non-configured state.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Management.Infrastructure.CimInstance#root/StandardCimv2/MSFT_DAClientExperienceConfiguration

This cmdlet accepts as input a CIM object that contains a DA client experience configuration.

OUTPUTS

None

NOTES

Example 1: Reset the friendly name of a client experience configuration

```
PS C:\>Reset-DAClientExperienceConfiguration -PolicyStore "Contoso\GPO1" -FriendlyName "Traveling Policy"
```

This cmdlet resets the friendly name of a client experience configuration.

RELATED LINKS

Online Version:

https://learn.microsoft.com/powershell/module/directaccessclientcomponents/reset-daclientexperienceconfiguration?view=windowsserver2022-ps&wt.mc_id=ps-gethelp

Get-DAClientExperienceConfiguration

Set-DAClientExperienceConfiguration