



## ***Windows PowerShell Get-Help on Cmdlet 'Reset-NetIPHttpsConfiguration'***

***PS:\>Get-HELP Reset-NetIPHttpsConfiguration -Full***

### **NAME**

Reset-NetIPHttpsConfiguration

### **SYNOPSIS**

Resets the IP-HTTPS configuration elements in a GPO.

### **SYNTAX**

Reset-NetIPHttpsConfiguration [-AsJob] [-AuthMode] [-CimSession <CimSession[]>] [-Confirm] [-GPOSession <String>] [-PassThru] [-Profile <String[]>] [-ProfileActivated <Boolean[]>] [-State] [-StrongCRLRequired] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]

Reset-NetIPHttpsConfiguration [-AsJob] [-AuthMode] [-CimSession <CimSession[]>] [-Confirm] -InputObject <CimInstance[]> [-PassThru] [-State] [-StrongCRLRequired] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]

Reset-NetIPHttpsConfiguration [-AsJob] [-AuthMode] [-CimSession <CimSession[]>] [-Confirm] [-PassThru] [-PolicyStore <String>] [-Profile <String[]>] [-ProfileActivated <Boolean[]>] [-State] [-StrongCRLRequired] [-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]

## DESCRIPTION

The Reset-NetIPHttpsConfiguration cmdlet resets the IP-HTTP configuration elements in a Group Policy Object (GPO) to the not configured state.

Group Policy settings have one of the following three states: not configured, enabled, or disabled.

## PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-AuthMode [<SwitchParameter>]

Resets the authentication mode to not configured.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or

[Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session

on the local computer.

Required? false  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

**-Confirm [<SwitchParameter>]**

Prompts you for confirmation before running the cmdlet.

Required? false  
Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

**-GPOMSession <String>**

Specifies the Group Policy session that contains the IP-HTTPS configuration information to reset.

You can use this parameter with the NetGPO cmdlets to aggregate multiple operations performed on a GPO.

You cannot use this parameter with the PolicyStore parameter.

Required? false  
Position? named  
Default value None  
Accept pipeline input? True (ByPropertyName)  
Accept wildcard characters? false

**-InputObject <CimInstance[]>**

Specifies the input object that is used in a pipeline command.

Required? true

Position?            named  
Default value        None  
Accept pipeline input?    True (ByValue)  
Accept wildcard characters? false

**-PassThru [<SwitchParameter>]**

Returns an object representing the item with which you are working. By default, this cmdlet does not generate any output.

Required?            false  
Position?            named  
Default value        False  
Accept pipeline input?    False  
Accept wildcard characters? false

**-PolicyStore <String>**

Specifies the policy store that contains the IP-HTTPS configuration to reset. For this cmdlet, this parameter only supports GPO stores.

To reset an IP-HTTPS configuration stored in a GPO, specify the GPO name using the following format:  
`Domain\GPOName`

You cannot use this parameter with the GPONSession parameter.

Required?            false  
Position?            named  
Default value        None  
Accept pipeline input?    True (ByPropertyName)  
Accept wildcard characters? false

**-Profile <String[]>**

Specifies the name of the IP-HTTPS configuration profile to reset.

Required? false  
Position? named  
Default value None  
Accept pipeline input? True (ByPropertyName)  
Accept wildcard characters? false

-ProfileActivated <Boolean[]>

Filters the objects to reset.

Required? false  
Position? named  
Default value None  
Accept pipeline input? True (ByPropertyName)  
Accept wildcard characters? false

-State [<SwitchParameter>]

Resets the state of the IP-HTTPS configuration to not configured.

Required? false  
Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

-StrongCRLRequired [<SwitchParameter>]

Resets the strong certificate revocation list (CRL) check configuration to not configured.

Required? false  
Position? named  
Default value False  
Accept pipeline input? False  
Accept wildcard characters? false

#### `-ThrottleLimit <Int32>`

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

#### `-WhatIf [<SwitchParameter>]`

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

#### `<CommonParameters>`

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about\\_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

#### INPUTS

None

This cmdlet accepts no input objects.

## OUTPUTS

Microsoft.Management.Infrastructure.CimInstance#root\StandardCimv2\MSFT\_NetIPHttpsConfiguration

The `Microsoft.Management.Infrastructure.CimInstance` object is a wrapper class that displays Windows Management Instrumentation (WMI) objects. The path after the

pound sign (`#`) provides the namespace and class name for the underlying WMI object.

When the Passthru parameter is specified, this cmdlet outputs a modified Windows Management Instrumentation (WMI) object.

## NOTES

----- Example 1: Reset the IP-HTTPS configuration -----

```
PS C:\>$config = Get-NetIPHttpsConfiguration
```

```
PS C:\> Reset-NetIPHttpsConfiguration -InputObject $config
```

This set of commands gets the IP-HTTPS configuration using the Get-NetIPHttpsConfiguration cmdlet, stores it in a variable named \$config and then passes the contents

of the variable to this cmdlet.

## RELATED LINKS

Online

Version:

[https://learn.microsoft.com/powershell/module/networktransition/reset-netiphttpsconfiguration?view=windowsserver2022-ps&wt.mc\\_id=ps-gethelp](https://learn.microsoft.com/powershell/module/networktransition/reset-netiphttpsconfiguration?view=windowsserver2022-ps&wt.mc_id=ps-gethelp)

Get-NetIPHttpsConfiguration

New-NetIPHttpsConfiguration

Remove-NetIPHttpsConfiguration

Rename-NetIPHttpsConfiguration

Set-NetIPHttpsConfiguration

