



Windows PowerShell Get-Help on Cmdlet 'Restore-AzWebAppSnapshot'

PS:\>Get-HELP Restore-AzWebAppSnapshot -Full

NAME

Restore-AzWebAppSnapshot

SYNOPSIS

Restores a web app snapshot.

SYNTAX

```
Restore-AzWebAppSnapshot [-ResourceGroupName] <System.String> [-Name] <System.String> [[-Slot]
<System.String>] [-InputObject]
<Microsoft.Azure.Commands.WebApps.Cmdlets.BackupRestore.AzureWebAppSnapshot> [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force]
[-RecoverConfiguration] [-UseDisasterRecovery] [-Confirm]
[-WhatIf] [<CommonParameters>]
```

```
Restore-AzWebAppSnapshot [-WebApp] <Microsoft.Azure.Commands.WebApps.Models.PSSite> [-InputObject]
<Microsoft.Azure.Commands.WebApps.Cmdlets.BackupRestore.AzureWebAppSnapshot> [-AsJob] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force]
[-RecoverConfiguration] [-UseDisasterRecovery] [-Confirm]
[-WhatIf] [<CommonParameters>]
```

DESCRIPTION

Restores a web app snapshot to the web app. Restoring a snapshot overwrites all files in a web app with the files contained in the snapshot. To restore settings as

well, use the RecoverConfiguration switch parameter. A snapshot from one web app can be restored to any other web app in the same subscription.

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Allows the original web app to be overwritten without displaying a warning.

Required? false

Position? named

Default value False

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.WebApps.Cmdlets.BackupRestore.AzureWebAppSnapshot>

The Azure Web App snapshot.

Required? true

Position? 3

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

The name of the web app.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-RecoverConfiguration <System.Management.Automation.SwitchParameter>

Recover the web app's configuration in addition to files.

Required? false

Position? named

Default value False

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceGroupName <System.String>

The name of the resource group.

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Slot <System.String>

The name of the web app slot.

Required? false
Position? 2
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-UseDisasterRecovery <System.Management.Automation.SwitchParameter>

Use to recover a snapshot from a scale unit that is offline.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WebApp <Microsoft.Azure.Commands.WebApps.Models.PSSite>

The web app object

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.Management.Automation.SwitchParameter

System.String

Microsoft.Azure.Commands.WebApps.Cmdlets.BackupRestore.AzureWebAppSnapshot

OUTPUTS

System.Void

NOTES

----- Example 1 -----

```
$snapshot = (Get-AzWebAppSnapshot -ResourceGroupName "Default-Web-WestUS" -Name "ContosoApp" -Slot "Staging")[0]
```

```
Restore-AzWebAppSnapshot -ResourceGroupName "Default-Web-WestUS" -Name "ContosoApp" -Slot "Restore" -InputObject $snapshot -RecoverConfiguration
```

Gets the latest snapshot of a web app named "ContosoApp" with a slot named "Staging" in the "Default-Web-WestUS" resource group. Restores the snapshot to the web app's "Restore" slot.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.websites/restore-azwebappsnapshot>

