



Windows PowerShell Get-Help on Cmdlet 'Resume-AzRecoveryServicesAsrJob'

PS:\>Get-HELP Resume-AzRecoveryServicesAsrJob -Full

NAME

Resume-AzRecoveryServicesAsrJob

SYNOPSIS

Resumes a suspended Azure Site Recovery job.

SYNTAX

```

Resume-AzRecoveryServicesAsrJob [-Comment <System.String>] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
-InputObject <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRJob> [-Confirm] [-WhatIf]
[<CommonParameters>]

```

```

Resume-AzRecoveryServicesAsrJob [-Comment <System.String>] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
-Name <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

```

DESCRIPTION

The Resume-AzRecoveryServicesAsrJob cmdlet resumes a suspended Azure Site Recovery job.

PARAMETERS

-Comment <System.String>

Comments for the job log.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRJob>

The input object to the cmdlet: The ASR Job object corresponding to the job to be resumed.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Name <System.String>

Specify the ASR job by name.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRJob

OUTPUTS

Microsoft.Azure.Commands.RecoveryServices.SiteRecovery.ASRJob

NOTES

----- Example 1 -----

```
$currentJob = Resume-AzRecoveryServicesAsrJob -Job $Job
```

Resume the specified job if it is in a waiting or suspended state and return the updated ASR job object corresponding to the ASR job.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.recoveryservices/resume-azrecoveryservicesasrjob>

Get-AzRecoveryServicesAsrJob

Restart-AzRecoveryServicesAsrJob

Stop-AzRecoveryServicesAsrJob