



### ***Windows PowerShell Get-Help on Cmdlet 'Resume-PrintJob'***

***PS:\>Get-HELP Resume-PrintJob -Full***

#### **NAME**

Resume-PrintJob

#### **SYNOPSIS**

Resumes a suspended print job.

#### **SYNTAX**

```
Resume-PrintJob [-ID] <UInt32> [-PrinterName] <String> [-AsJob] [-CimSession <CimSession[]>] [-ComputerName  
<String>] [-Confirm] [-ThrottleLimit <Int32>] [-WhatIf]  
[<CommonParameters>]
```

```
Resume-PrintJob [-PrinterObject] <CimInstance> [-ID] <UInt32> [-AsJob] [-CimSession <CimSession[]>] [-Confirm]  
[-ThrottleLimit <Int32>] [-WhatIf] [<CommonParameters>]
```

```
Resume-PrintJob [-InputObject] <CimInstance> [-AsJob] [-CimSession <CimSession[]>] [-Confirm] [-ThrottleLimit <Int32>]  
[-WhatIf] [<CommonParameters>]
```

#### **DESCRIPTION**

The Resume-PrintJob cmdlet resumes a suspended print job on the specified printer. The Resume-PrintJob cmdlet has no effect if any print job is running.

You can specify the print job to resume by specifying the PrinterName and ID parameters, by specifying the printer object and job ID parameter, or by specifying the print job object as an input.

You cannot use wildcard characters with Resume-PrintJob .

PARAMETERS

-AsJob [<SwitchParameter>]

Runs the cmdlet as a background job. Use this parameter to run commands that take a long time to complete.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-CimSession <CimSession[]>

Runs the cmdlet in a remote session or on a remote computer. Enter a computer name or a session object, such as the output of a New-CimSession

(<https://go.microsoft.com/fwlink/p/?LinkId=227967>) or [Get-CimSession](<https://go.microsoft.com/fwlink/p/?LinkId=227966>)cmdlet. The default is the current session on the local computer.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

#### -ComputerName <String>

Specifies the name of the computer on which to resume the print job.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

#### -Confirm [<SwitchParameter>]

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

#### -ID <UInt32>

Specifies the ID of the print job to resume on the specified printer. You can use wildcard characters.

Required? true

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

#### -InputObject <CimInstance>

Specifies the input object that is used in a pipeline command.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

#### -PrinterName <String>

Specifies the name of the printer on which to resume the print job.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName, ByValue)

Accept wildcard characters? false

#### -PrinterObject <CimInstance>

Specifies the object which contains the printer on which to resume the print job.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName, ByValue)

Accept wildcard characters? false

#### -ThrottleLimit <Int32>

Specifies the maximum number of concurrent operations that can be established to run the cmdlet. If this parameter is omitted or a value of `0` is entered, then

Windows PowerShell calculates an optimum throttle limit for the cmdlet based on the number of CIM cmdlets that are running on the computer. The throttle limit

applies only to the current cmdlet, not to the session or to the computer.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

## -WhatIf [<SwitchParameter>]

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

## <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

## INPUTS

Microsoft.Management.Infrastructure.CimInstance

System.String

## OUTPUTS

System.Object

## NOTES

----- Example 1: Resume a suspended print job -----

```
Resume-PrintJob - PrinterName "PrinterName" -ID 1
```

This command resumes the print job with an ID of 1, which was suspended on the printer named PrinterName.

Example 2: Resume a print job using a printer object and job ID

```
$Printer = Get-Printer -PrinterName "PrinterName"
```

```
Resume-PrintJob -PrinterObject $Printer -ID 1
```

The first command gets a printer named PrinterName by using the Get-Printer cmdlet. The command stores the result in the \$Printer variable.

The second command resumes the print job that has the ID 1 on the printer in \$Printer.

----- Example 3: Resume a print job using a job object -----

```
$PrintJob = Get-PrintJob - PrinterName "PrinterName" -ID 1
```

```
Resume-PrintJob -InputObject $PrintJob
```

The first command gets a printer job that has the ID on a printer named PrinterName by using the Get-PrintJob cmdlet. The command stores the result in the \$PrintJob variable.

The second command resumes the print job in \$PrintJob.

## RELATED LINKS

Online

Version:

[https://learn.microsoft.com/powershell/module/printmanagement/resume-printjob?view=windowsserver2022-ps&wt.mc\\_id=powershell-gethelp](https://learn.microsoft.com/powershell/module/printmanagement/resume-printjob?view=windowsserver2022-ps&wt.mc_id=powershell-gethelp)

Get-PrintJob

Remove-PrintJob

Restart-PrintJob

Suspend-PrintJob