



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Save-AzDataFactoryLog'

PS:>Get-HELP Save-AzDataFactoryLog -Full

NAME

Save-AzDataFactoryLog

SYNTAX

```
Save-AzDataFactoryLog [-ResourceGroupName] <string> [-Id] <string> [[-Output] <string>] [-DownloadLogs]
[-DefaultProfile <IAzureContextContainer>]
[<CommonParameters>]
```

```
Save-AzDataFactoryLog [-DataFactory] <PSDataFactory> [-Id] <string> [[-Output] <string>] [-DownloadLogs]
[-DefaultProfile <IAzureContextContainer>]
[<CommonParameters>]
```

PARAMETERS

-DataFactory <PSDataFactory>

The data factory object.

Required? true

Position? 0

Accept pipeline input? true (ByPropertyName)

Parameter set name ByFactoryObject

Aliases None

Dynamic? false

-DataFactoryName <string>

The data factory name.

Required? true

Position? 1

Accept pipeline input? true (ByPropertyName)

Parameter set name ByFactoryName

Aliases None

Dynamic? false

-DefaultProfile <IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? Named

Accept pipeline input? false

Parameter set name (All)

Aliases AzContext, AzureRmContext, AzureCredential

Dynamic? false

-DownloadLogs

Download logs using the SAS url.

Required? false

Position? Named

Accept pipeline input? false

Parameter set name (All)

Aliases None

Dynamic? false

-Id <string>

The data slice run id.

Required? true

Position? 1

Accept pipeline input? true (ByPropertyName)

Parameter set name (All)

Aliases None

Dynamic? false

-Output <string>

Directory to download the log. Default is current directory.

Required? false

Position? 2

Accept pipeline input? false

Parameter set name (All)

Aliases None

Dynamic? false

-ResourceGroupName <string>

The resource group name.

Required? true

Position? 0

Accept pipeline input? true (ByPropertyName)

Parameter set name ByFactoryName

Aliases None

Dynamic? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

Page 3/4

ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

Microsoft.Azure.Commands.DataFactories.Models.PSDataFactory

System.String

OUTPUTS

Microsoft.Azure.Commands.DataFactories.Models.PSRunLogInfo

ALIASES

None

REMARKS

None