



Windows PowerShell Get-Help on Cmdlet 'Save-AzManagementGroupDeploymentStackTemplate'

PS: \>Get-HELP Save-AzManagementGroupDeploymentStackTemplate -Full

NAME

Save-AzManagementGroupDeploymentStackTemplate

SYNOPSIS

Saves a Management Group scoped Deployment Stack Template.

SYNTAX

```

Save-AzManagementGroupDeploymentStackTemplate [-InputObject]
<Microsoft.Azure.Commands.ResourceManager.Cmdlets.SdkModels.PSDeploymentStack> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Pre]
[<CommonParameters>]

```

```

Save-AzManagementGroupDeploymentStackTemplate [-ManagementGroupId] <System.String> [-StackName]
<System.String> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Pre]
[<CommonParameters>]

```

```

Save-AzManagementGroupDeploymentStackTemplate [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Pre]

```

-ResourceId <System.String> [<CommonParameters>]

DESCRIPTION

Saves a template (or template link) for a management group scoped deployment stack.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.ResourceManager.Cmdlets.SdkModels.PSDeploymentStack>

The stack PS object

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-ManagementGroupId <System.String>

The id of the ManagementGroup where the DeploymentStack is deployed

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Pre <System.Management.Automation.SwitchParameter>

When set, indicates that the cmdlet should use pre-release API versions when automatically determining which version to use.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

ResourceId of the DeploymentStack to get

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-StackName <System.String>

The name of the DeploymentStack to get

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.ResourceManager.Cmdlets.SdkModels.PSDeploymentStackTemplateDefinition

NOTES

Example 1: Save the template used for the deployment stack named MyManagementGroup at MyManagementGroup management group

```
Save-AzManagementGroupDeploymentStackTemplate -ManagementGroupId MyManagementGroup -StackName  
MyMGStack
```

Save a template (or template link) from a stack named 'MyMGStack' under an MG named 'MyManagementGroup'.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.resources/Save-AzManagementGroupDeploymentStackTemplate>

