



Windows PowerShell Get-Help on Cmdlet 'Search-AzDataProtectionBackupVaultInAzGraph'

PS:\>Get-HELP Search-AzDataProtectionBackupVaultInAzGraph -Full

NAME

Search-AzDataProtectionBackupVaultInAzGraph

SYNOPSIS

Searches for Backup vaults in Azure Resource Graph and retrieves the expected entries

SYNTAX

```
Search-AzDataProtectionBackupVaultInAzGraph -Subscription <String[]> [-ResourceGroup <String[]>] [-Vault <String[]>]
[-DefaultProfile <PSObject>] [-Break]
[-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential
<PSCredential>] [-ProxyUseDefaultCredentials]
[<CommonParameters>]
```

DESCRIPTION

Searches for Backup vaults in Azure Resource Graph and retrieves the expected entries

-Subscription <String[]>

Subscription of Vault

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ResourceGroup <String[]>

Resource Group of Vault

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Vault <String[]>

Name of the vault

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DefaultProfile <PSObject>

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Break [<SwitchParameter>]

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Proxy <Uri>

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyCredential <PSCredential>

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

System.Management.Automation.PSObject

----- EXAMPLE 1 -----

PS C:\>Search-AzDataProtectionBackupVaultInAzGraph -Subscription "xxxxxxx-xxxx-xxxxxxxxxxx" -ResourceGroup \$resourceGroupName -Vault \$vaultName

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.dataprotection/search-azdataprotectionbackupvaultinazgraph>