



**Full credit is given to all the above companies including the Operating System that this PDF file was generated!**

### ***Windows PowerShell Get-Help on Cmdlet 'Set-AzApplicationGateway'***

**PS:\>Get-HELP Set-AzApplicationGateway -Full**

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

#### **NAME**

Set-AzApplicationGateway

#### **SYNOPSIS**

Updates an application gateway.

#### **SYNTAX**

```
Set-AzApplicationGateway -ApplicationGateway <Microsoft.Azure.Commands.Network.Models.PSApplicationGateway>
[-AsJob] [-DefaultProfile
          <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>
[<CommonParameters>]
```

#### **DESCRIPTION**

The Set-AzApplicationGateway cmdlet updates an Azure application gateway.

## PARAMETERS

-ApplicationGateway <Microsoft.Azure.Commands.Network.Models.PSApplicationGateway>

Specifies an application gateway object representing the state to which the application gateway should be set.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

`OutBuffer`, `PipelineVariable`, and `OutVariable`. For more information, see [about\\_CommonParameters](#) (<https://go.microsoft.com/fwlink/?LinkId=113216>).

## INPUTS

`Microsoft.Azure.Commands.Network.Models.PSApplicationGateway`

## OUTPUTS

`Microsoft.Azure.Commands.Network.Models.PSApplicationGateway`

## NOTES

----- Example 1: Update an application gateway -----

```
$AppGw = Get-AzApplicationGateway -Name Test -ResourceGroupName Appgwttest  
$AppGw.Tag = @{"key"="value"}  
$UpdatedAppGw = Set-AzApplicationGateway -ApplicationGateway $AppGw
```

These commands update the application gateway with settings in the `$AppGw` variable and stores the updated gateway in the `$UpdatedAppGw` variable.

## RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.network/set-azapplicationgateway>

`Start-AzApplicationGateway`

