



## ***Windows PowerShell Get-Help on Cmdlet 'Set-AzApplicationGatewayHttpListenerCustomError'***

***PS:\>Get-HELP Set-AzApplicationGatewayHttpListenerCustomError -Full***

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

### NAME

Set-AzApplicationGatewayHttpListenerCustomError

### SYNOPSIS

Updates a custom error in a http listener of an application gateway.

### SYNTAX

```
Set-AzApplicationGatewayHttpListenerCustomError -CustomErrorPageUrl <System.String> [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -HttpListener  
<Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayHttpListener> -StatusCode <System.String>  
[<CommonParameters>]
```

### DESCRIPTION

The Set-AzApplicationGatewayHttpListenerCustomError cmdlet updates a custom error in a http listener of an application

gateway.

## PARAMETERS

-CustomErrorPageUrl <System.String>

Error page URL of the application gateway customer error.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-HttpListener <Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayHttpListener>

The Application Gateway Http Listener

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-StatusCode <System.String>

Status code of the application gateway customer error.

|                             |       |
|-----------------------------|-------|
| Required?                   | true  |
| Position?                   | named |
| Default value               | None  |
| Accept pipeline input?      | False |
| Accept wildcard characters? | false |

#### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

#### INPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayHttpListener

#### OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSApplicationGatewayCustomError

#### NOTES

---- Example 1: Updates a custom error from a http listener ----

```
$customError502Url = "https://mycustomerrorpages.blob.core.windows.net/errorpages/502.htm"
```

```
$updatedlistener = Set-AzApplicationGatewayHttpListenerCustomError -HttpListener $listener01 -StatusCode  
HttpStatus502 -CustomErrorPageUrl $customError502Url
```

This command updates the custom error of http status code 502 in the http listener \$listener01, and returns the updated listener.

#### RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.network/set-azapplicationgatewayhttplistenercustomerror>

Add-AzApplicationGatewayHttpListenerCustomError

Get-AzApplicationGatewayHttpListenerCustomError

Remove-AzApplicationGatewayHttpListenerCustomError