



Windows PowerShell Get-Help on Cmdlet 'Set-AzApplicationInsightsContinuousExport'

PS:\>Get-HELP Set-AzApplicationInsightsContinuousExport -Full

NAME

Set-AzApplicationInsightsContinuousExport

SYNOPSIS

Create a Continuous Export configuration of an Application Insights component.

SYNTAX

```
Set-AzApplicationInsightsContinuousExport -ResourceGroupName <String> -Name <String> -ExportId <String>
[-SubscriptionId <String>] [-DestinationType <String>]
[-NotificationQueueEnabled <String>] [-NotificationQueueUri <String>] [-DocumentType <String[]>] [-StorageAccountId
<String>] [-StorageLocation <String>]
[-DisableConfiguration] [-StorageSASUri <String>] [-DefaultProfile <PSObject>] [-Break] [-HttpPipelineAppend
<SendAsyncStep[]>] [-HttpPipelinePrepend
<SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm]
[<CommonParameters>]
```

DESCRIPTION

Create a Continuous Export configuration of an Application Insights component.

PARAMETERS

-ResourceGroupName <String>

The name of the resource group.

The name is case insensitive.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Name <String>

The name of the Application Insights component resource.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ExportId <String>

The Continuous Export configuration ID.

This is unique within a Application Insights component.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubscriptionId <String>

The ID of the target subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DestinationType <String>

The Continuous Export destination type.

This has to be 'Blob'.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-NotificationQueueEnabled <String>

Deprecated

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-NotificationQueueUri <String>

Deprecated

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DocumentType <String[]>

The document types to be exported, as comma separated values.

Allowed values include 'Requests', 'Custom Event', 'Exception', 'Metric', 'Page View', 'Page Load', 'Dependency', 'Performance Counter', 'Availability', 'Trace'.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-StorageAccountId <String>

The name of destination storage account.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-StorageLocation <String>

The location ID of the destination storage container.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-DisableConfiguration [<SwitchParameter>]

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-StorageSASUri <String>

The SAS URL for the destination storage container.
It must grant write permission.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-DefaultProfile <PSObject>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required? false
Position? named
Default value False
Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Proxy <Uri>

The URI for the proxy server to use

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false

Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false
Position? named
Default value False
Accept pipeline input? false
Accept wildcard characters? false

-WhatIf [<SwitchParameter>]

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-Confirm [<SwitchParameter>]

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,
ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.ApplicationInsights.Models.Api20150501.IApplicationInsightsComponentExportConfiguration

----- EXAMPLE 1 -----

```
PS C:\>$sastoken = New-AzStorageContainerSASToken -Name testcontainer -Context $context -ExpiryTime  
(Get-Date).AddYears(50) -Permission w
```

```
$sasuri = "https://teststorageaccount.blob.core.windows.net/testcontainer" + $sastoken
```

```
Set-AzApplicationInsightsContinuousExport -ResourceGroupName "testgroup" -Name "test" `
```

```
-DocumentType "Request","Trace" -ExportId "jITFEiBg1rkDXOCleJQ2mB2TxZg=" -StorageAccountId
```

```
"/subscriptions/50359d91-7b9d-4823-85af-eb298a61ba96/resourceGroups/testgroup/providers/Microsoft.Storage/storageAc  
counts/teststorageaccount" -StorageLocation
```

```
sourcecentralus `
```

```
-StorageSASUri $sasuri -DestinationType Blob
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.applicationinsights/set-azapplicationinsightscontinuousexport>

