



Windows PowerShell Get-Help on Cmdlet 'Set-AzAutomationConnectionFieldValue'

PS:\>Get-HELP Set-AzAutomationConnectionFieldValue -Full

NAME

Set-AzAutomationConnectionFieldValue

SYNOPSIS

Modifies the value of a field in an Automation connection.

SYNTAX

```
Set-AzAutomationConnectionFieldValue [-ResourceGroupName] <System.String> [-AutomationAccountName]
<System.String> [-Name] <System.String> -ConnectionFieldName
                                     <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Value
<System.Object> [<CommonParameters>]
```

DESCRIPTION

The Set-AzAutomationConnectionFieldValue cmdlet modifies the value of a field in a connection in Azure Automation.

-AutomationAccountName <System.String>

Specifies the name of the Automation account for which this cmdlet modifies a field in a connection.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ConnectionFieldName <System.String>

Specifies a name for the field that this cmdlet modifies.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Specifies a name for the connection for which this cmdlet modifies a field.

Required? true

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceGroupName <System.String>

Specifies the name of the resource group for which this cmdlet modifies a field in a connection.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Value <System.Object>

Specifies a value to modify in the connection field.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

System.Object

OUTPUTS

Microsoft.Azure.Commands.Automation.Model.Connection

NOTES

----- Example 1: Change a field value in a connection -----

```
Set-AzAutomationConnectionFieldValue -Name "ContosoConnection" -ConnectionFieldName "SubscriptionID" -Value  
"b53ec456-3494-4847-8f2b-180901c51050" -ResourceGroupName  
"ResourceGroup01" -AutomationAccountName "AutomationAccount01"
```

This command changes the subscription ID for the Azure connection named ContosoConnection in the Automation account named AutomationAccount01.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.automation/set-azautomationconnectionfieldvalue>

New-AzAutomationConnection