



Windows PowerShell Get-Help on Cmdlet 'Set-AzAutomationPython3Package'

PS:\>Get-HELP Set-AzAutomationPython3Package -Full

NAME

Set-AzAutomationPython3Package

SYNOPSIS

Update Python3 Package in Automation account

SYNTAX

```
Set-AzAutomationPython3Package [-ResourceGroupName] <System.String> [-AutomationAccountName]
<System.String> [-Name] <System.String> [-ContentLinkUri <System.Uri>]
[-ContentLinkVersion <System.String>] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
[<CommonParameters>]
```

DESCRIPTION

The Set-AzAutomationPython3Package cmdlet updates a Python3 Package in Automation Account.

-AutomationAccountName <System.String>

The automation account name.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ContentLinkUri <System.Uri>

The url to module zip file package.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ContentLinkVersion <System.String>

The ContentLink version.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

The module name.

Required? true

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

System.Uri

OUTPUTS

Microsoft.Azure.Commands.Automation.Model.Module

NOTES

----- Example 1 -----

-Name "Python3PackageName" -ContentLinkUri

"https://packageURI.com/package.whl"

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.automation/set-azautomationpython3package>