



Windows PowerShell Get-Help on Cmdlet 'Set-AzAutomationRunbook'

PS:\>Get-HELP Set-AzAutomationRunbook -Full

NAME

Set-AzAutomationRunbook

SYNOPSIS

Modifies a runbook.

SYNTAX

```
Set-AzAutomationRunbook [-ResourceGroupName] <System.String> [-AutomationAccountName] <System.String>
[-Name] <System.String> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Description
    <System.String>] [-LogProgress
    <System.Nullable`1[System.Boolean]>] [-LogVerbose <System.Nullable`1[System.Boolean]>] [-Tag
    <System.Collections.IDictionary>] [<CommonParameters>]
```

DESCRIPTION

The Set-AzAutomationRunbook cmdlet modifies the configuration of an Azure Automation runbook in APS.

PARAMETERS

-AutomationAccountName <System.String>

Specifies the name of the Automation account in which this cmdlet modifies a runbook.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Description <System.String>

Specifies a description for the runbook.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-LogProgress <System.Nullable`1[System.Boolean]>

Specifies whether the runbook logs progress.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-LogVerbose <System.Nullable`1[System.Boolean]>

Specifies whether logging includes detailed information.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Name <System.String>

Specifies the name of the runbook that this cmdlet modifies.

Required? true

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceGroupName <System.String>

Specifies the name of the resource group for which this cmdlet modifies a runbook.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Tag <System.Collections.IDictionary>

The runbook tags.

Required? false
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

System.Collections.IDictionary

System.Nullable`1[[System.Boolean, System.Private.CoreLib, Version=4.0.0.0, Culture=neutral, PublicKeyToken=7cec85d7bea7798e]]

OUTPUTS

Microsoft.Azure.Commands.Automation.Model.Runbook

NOTES

----- Example 1: Enable verbose logging for a runbook -----

```
Set-AzAutomationRunbook -AutomationAccountName "Contoso17" -Name "Runbook02" -LogVerbose $True  
-ResourceGroupName "ResourceGroup01"
```

This command enables verbose logging for the jobs of the specified runbook in the Azure Automation account named Contoso17.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.automation/set-azautomationrunbook>

Export-AzAutomationRunbook

Get-AzAutomationRunbook

Import-AzAutomationRunbook

New-AzAutomationRunbook

New-AzAutomationRunbook

Publish-AzAutomationRunbook

Remove-AzAutomationRunbook

Start-AzAutomationRunbook