



Windows PowerShell Get-Help on Cmdlet 'Set-AzBatchAccount'

PS:\>Get-HELP Set-AzBatchAccount -Full

NAME

Set-AzBatchAccount

SYNOPSIS

Updates a Batch account.

SYNTAX

```
Set-AzBatchAccount [-AccountName] <System.String> [-Tag] <System.Collections.Hashtable> [-AutoStorageAccountId  
<System.String>] [-DefaultProfile  
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]  
[-ResourceGroupName <System.String>] [<CommonParameters>]
```

DESCRIPTION

The Set-AzBatchAccount cmdlet updates an Azure Batch account. Currently, this cmdlet can update only tags.

PARAMETERS

-AccountName <System.String>

Specifies the name of the Batch account that this cmdlet updates.

Required?	true
Position?	0
Default value	None
Accept pipeline input?	True (ByPropertyName)
Accept wildcard characters?	false

-AutoStorageAccountId <System.String>

Specifies the resource ID of the storage account to be used for auto storage.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	True (ByPropertyName)
Accept wildcard characters?	false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-ResourceGroupName <System.String>

Specifies the resource group of the account that this cmdlet updates.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	True (ByPropertyName)

Accept wildcard characters? false

-Tag <System.Collections.Hashtable>

Key-value pairs in the form of a hash table. For example: @{key0="value0";key1=\$null;key2="value2"}

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

System.Collections.Hashtable

OUTPUTS

Microsoft.Azure.Commands.Batch.BatchAccountContext

NOTES

----- Example 1: Update the tags on a Batch account -----

```
Set-AzBatchAccount -AccountName "cmdletexample" -Tag @{key0="value0";key1=$null;key2="value2"}
```

AccountName : cmdletexample

Location : westus

ResourceGroupName : CmdletExampleRG

DedicatedCoreQuota : 20

LowPriorityCoreQuota : 20

PoolQuota : 20

ActiveJobAndJobScheduleQuota : 20

Tags :

Name	Value
------	-------

=====	=====
-------	-------

key0	value0
------	--------

key1	
------	--

key2	value2
------	--------

TaskTenantUrl : https://cmdletexample.westus.batch.azure.com

This command updates the tags on the account named pfuller.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.batch/set-azbatchaccount>

Get-AzBatchAccount

New-AzBatchAccount

Remove-AzBatchAccount

Azure Batch Cmdlets

