



Windows PowerShell Get-Help on Cmdlet 'Set-AzDataBoxEdgeStorageAccountCredential'

PS:\>Get-HELP Set-AzDataBoxEdgeStorageAccountCredential -Full

NAME

Set-AzDataBoxEdgeStorageAccountCredential

SYNOPSIS

Sets the storage account credential for a device.

SYNTAX

```

Set-AzDataBoxEdgeStorageAccountCredential [-ResourceGroupName] <System.String> [-DeviceName]
<System.String> [-Name] <System.String> [-AsJob] [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -EncryptionKey
<System.Security.SecureString> -StorageAccountAccessKey
    <System.Security.SecureString> [-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzDataBoxEdgeStorageAccountCredential [-AsJob] [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
    -EncryptionKey <System.Security.SecureString> -InputObject
    <Microsoft.Azure.PowerShell.Cmdlets.DataBoxEdge.Models.PSDataBoxEdgeStorageAccountCredential>
    -StorageAccountAccessKey <System.Security.SecureString> [-Confirm] [-WhatIf] [<CommonParameters>]

```

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

-EncryptionKey <System.Security.SecureString> -ResourceId <System.String> -StorageAccountAccessKey

<System.Security.SecureString> [-Confirm] [-WhatIf]

[<CommonParameters>]

DESCRIPTION

The Set-AzDataBoxEdgeStorageAccountCredential cmdlet updates the storage account credential corresponding to a storage account on the Data Box Edge device.

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DeviceName <System.String>

Device Name

Required? true
Position? 1
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-EncryptionKey <System.Security.SecureString>

Encryption key of the Edge device

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-InputObject <Microsoft.Azure.PowerShell.Cmdlets.DataBoxEdge.Models.PSDataBoxEdgeStorageAccountCredential>

Input Object

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-Name <System.String>

Name of the storage account to be used

Required? true
Position? 2
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource Group Name

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ResourceId <System.String>

Azure ResourceId

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-StorageAccountAccessKey <System.Security.SecureString>

provide storage account access key

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,
ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.PowerShell.Cmdlets.DataBoxEdge.Models.PSDataBoxEdgeStorageAccountCredential

OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.DataBoxEdge.Models.PSDataBoxEdgeStorageAccountCredential

----- Example 1 -----

```
Set-AzDataBoxEdgeStorageAccountCredential -ResourceGroupName resourceGroupName -DeviceName deviceName  
-Name storageAccountName `  
-StorageAccountAccessKey @SecureString -EncryptionKey @SecureString
```

Name	StorageAccount	SslStatus	ResourceGroupName
------	----------------	-----------	-------------------

storageAccountCredentialName	storageAccountName	Enabled	resourceGroupName
------------------------------	--------------------	---------	-------------------

Helps in rotating access keys for a storage account

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.databoxedge/set-azdataboxedgestorageaccountcredential>