



## ***Windows PowerShell Get-Help on Cmdlet 'Set-AzDataFactoryPipelineActivePeriod'***

***PS:\>Get-HELP Set-AzDataFactoryPipelineActivePeriod -Full***

### NAME

Set-AzDataFactoryPipelineActivePeriod

### SYNTAX

Set-AzDataFactoryPipelineActivePeriod [-ResourceGroupName] <string> [-DataFactoryName] <string> [-StartDateTime] <datetime> [[-EndDateTime] <datetime>] [-AutoResolve]

[-ForceRecalculate] [-DefaultProfile <IAzureContextContainer>] [-WhatIf] [-Confirm] [<CommonParameters>]

Set-AzDataFactoryPipelineActivePeriod [-DataFactory] <PSDataFactory> [-PipelineName] <string> [-StartDateTime] <datetime> [[-EndDateTime] <datetime>] [-AutoResolve]

[-ForceRecalculate] [-DefaultProfile <IAzureContextContainer>] [-WhatIf] [-Confirm] [<CommonParameters>]

### PARAMETERS

-AutoResolve

Auto resolve active periods of conflicting pipelines.

Required? false

Position? Named

Accept pipeline input? false

Parameter set name (All)

Aliases None

Dynamic? false

-Confirm

Required? false

Position? Named

Accept pipeline input? false

Parameter set name (All)

Aliases cf

Dynamic? false

-DataFactory <PSDataFactory>

The data factory object.

Required? true

Position? 0

Accept pipeline input? true (ByPropertyName)

Parameter set name ByFactoryObject

Aliases None

Dynamic? false

-DataFactoryName <string>

The data factory name.

Required? true

Position? 1

Accept pipeline input? true (ByPropertyName)

Parameter set name ByFactoryName

Aliases None

Dynamic? false

#### -DefaultProfile <IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

|                        |                                            |
|------------------------|--------------------------------------------|
| Required?              | false                                      |
| Position?              | Named                                      |
| Accept pipeline input? | false                                      |
| Parameter set name     | (All)                                      |
| Aliases                | AzContext, AzureRmContext, AzureCredential |
| Dynamic?               | false                                      |

#### -EndTime <datetime>

The pipeline active period end time.

|                        |       |
|------------------------|-------|
| Required?              | false |
| Position?              | 4     |
| Accept pipeline input? | false |
| Parameter set name     | (All) |
| Aliases                | None  |
| Dynamic?               | false |

#### -ForceRecalculate

Mark all data slices in the period as PendingExecution to force re-calculation.

|                        |       |
|------------------------|-------|
| Required?              | false |
| Position?              | Named |
| Accept pipeline input? | false |
| Parameter set name     | (All) |
| Aliases                | None  |
| Dynamic?               | false |

#### -PipelineName <string>

The pipeline name.

|                        |                       |
|------------------------|-----------------------|
| Required?              | true                  |
| Position?              | 1                     |
| Accept pipeline input? | true (ByPropertyName) |
| Parameter set name     | (All)                 |
| Aliases                | Name                  |
| Dynamic?               | false                 |

-ResourceGroupName <string>

The resource group name.

|                        |                       |
|------------------------|-----------------------|
| Required?              | true                  |
| Position?              | 0                     |
| Accept pipeline input? | true (ByPropertyName) |
| Parameter set name     | ByFactoryName         |
| Aliases                | None                  |
| Dynamic?               | false                 |

-StartDateTime <datetime>

The pipeline active period start time.

|                        |       |
|------------------------|-------|
| Required?              | true  |
| Position?              | 3     |
| Accept pipeline input? | false |
| Parameter set name     | (All) |
| Aliases                | None  |
| Dynamic?               | false |

-WhatIf

|                        |       |
|------------------------|-------|
| Required?              | false |
| Position?              | Named |
| Accept pipeline input? | false |
| Parameter set name     | (All) |

|          |       |
|----------|-------|
| Aliases  | wi    |
| Dynamic? | false |

#### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about\\_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

#### INPUTS

System.String  
Microsoft.Azure.Commands.DataFactories.Models.PSDataFactory

#### OUTPUTS

System.Boolean

#### ALIASES

None

#### REMARKS

None