



Windows PowerShell Get-Help on Cmdlet 'Set-AzDataLakeAnalyticsCatalogCredential'

PS:\>Get-HELP Set-AzDataLakeAnalyticsCatalogCredential -Full

NAME

Set-AzDataLakeAnalyticsCatalogCredential

SYNOPSIS

Modifies an Azure Data Lake Analytics catalog credential password.

SYNTAX

```
Set-AzDataLakeAnalyticsCatalogCredential [-Account] <System.String> [-CredentialName] <System.String>
[-DatabaseName] <System.String> [-Credential]
<System.Management.Automation.PSCredential> [-NewPassword] <System.Management.Automation.PSCredential>
[-DatabaseHost] <System.String> [-Port] <System.Int32>
[-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-Confirm] [-WhatIf] [<CommonParameters>]
```

```
Set-AzDataLakeAnalyticsCatalogCredential [-Account] <System.String> [-CredentialName] <System.String>
[-DatabaseName] <System.String> [-Credential]
<System.Management.Automation.PSCredential> [-NewPassword] <System.Management.Automation.PSCredential>
[-Uri] <System.Uri> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
```

[<CommonParameters>]

DESCRIPTION

The Set-AzDataLakeAnalyticsCatalogCredential cmdlet modifies a credential password associated with an Azure Data Lake Analytics catalog.

PARAMETERS

-Account <System.String>

Specifies the Data Lake Analytics account name.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Credential <System.Management.Automation.PSCredential>

Specifies the name and current password of the credential to modify.

Required? true

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-CredentialName <System.String>

Specifies the name of the credential to modify

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DatabaseHost <System.String>

Specifies the host name of the external data source the credential can connect to in the format mydatabase.contoso.com.

Required? true

Position? 4

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DatabaseName <System.String>

Specifies the name of the database in the Data Lake Analytics account holding the credential.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-NewPassword <System.Management.Automation.PSCredential>

Specifies the new password for the credential

Required? true
Position? 3
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Port <System.Int32>

Specifies the port number used to connect to the specified DatabaseHost using this credential.

Required? true
Position? 5
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Uri <System.Uri>

Specifies the full Uniform Resource Identifier (URI) of the external data source this credential can connect to.

Required? true
Position? 4
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

System.Management.Automation.PSCredential

System.Uri

System.Int32

OUTPUTS

Microsoft.Azure.Management.DataLake.Analytics.Models.USqlCredential

NOTES

Example 1: Modify a credential's password associated with an account

```
Set-AzDataLakeAnalyticsCatalogCredential -AccountName "ContosoAdlAccount" `
    -DatabaseName "databaseName" `
    -CredentialName "credName" `
    -Credential (Get-Credential) `
    -NewPassword (Get-Credential) `
    -DatabaseHost "example.contoso.com" -Port 8080
```

This command sets the credential password to the password specified in NewPassword.

RELATED LINKS

Online

Version:

<https://learn.microsoft.com/powershell/module/az.datalakeanalytics/set-azdatalakeanalyticscatalogcredential>