



Windows PowerShell Get-Help on Cmdlet 'Set-AzExpressRoutePortIdentity'

PS: \>Get-HELP Set-AzExpressRoutePortIdentity -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

Set-AzExpressRoutePortIdentity

SYNOPSIS

Updates a identity assigned to an ExpressRoutePort.

SYNTAX

```

Set-AzExpressRoutePortIdentity [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -ExpressRoutePort
<Microsoft.Azure.Commands.Network.Models.PSExpressRoutePort> -UserAssignedIdentityId <System.String>
[<CommonParameters>]

```

DESCRIPTION

The Set-AzExpressRoutePortIdentity cmdlet updates a local Azure ExpressRoutePort object. Use

Set-AzExpressRoutePort to assign it to ExpressRoutePort.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ExpressRoutePort <Microsoft.Azure.Commands.Network.Models.PSExpressRoutePort>

The ExpressRoutePort

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-UserAssignedIdentityId <System.String>

ResourceId of the user assigned identity to be assigned to ExpressRoutePort.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Network.Models.PSExpressRoutePort

System.String

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSExpressRoutePort

NOTES

----- Example 1 -----

```
$exrport = Get-AzExpressRoutePort -Name $portName -ResourceGroupName $rgName  
$identity = New-AzUserAssignedIdentity -Name $identityName -ResourceGroupName $rgName -Location $location  
$exrPortIdentity = Set-AzExpressRoutePortIdentity -UserAssignedIdentity $identity.Id -ExpressRoutePort $exrPort  
$updatedExrPort = Set-AzExpressRoutePort -ExpressRoutePort $exrPort
```

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.network/set-azexpressrouteportidentity>

[Get-AzExpressRoutePortIdentity](#)

[New-AzExpressRoutePortIdentity](#)

[Remove-AzExpressRoutePortIdentity](#)