



Windows PowerShell Get-Help on Cmdlet 'Set-AzIntegrationAccountAssembly'

PS:\>Get-HELP Set-AzIntegrationAccountAssembly -Full

NAME

Set-AzIntegrationAccountAssembly

SYNOPSIS

Modifies an integration account assembly.

SYNTAX

Set-AzIntegrationAccountAssembly -AssemblyData <System.Byte[]> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Metadata

<System.Collections.Hashtable>] -Name <System.String>

-ParentName <System.String> -ResourceGroupName <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzIntegrationAccountAssembly -AssemblyData <System.Byte[]> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject

<Microsoft.Azure.Commands.LogicApp.Models.PSIntegrationAccountAssembly> [-Metadata

<System.Collections.Hashtable>] [-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzIntegrationAccountAssembly -AssemblyData <System.Byte[]> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Metadata

<System.Collections.Hashtable>] -ResourceId <System.String>

[-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzIntegrationAccountAssembly -AssemblyFilePath <System.String> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Metadata

<System.Collections.Hashtable>] -Name <System.String>

-ParentName <System.String> -ResourceGroupName <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzIntegrationAccountAssembly -AssemblyFilePath <System.String> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject

<Microsoft.Azure.Commands.LogicApp.Models.PSIntegrationAccountAssembly> [-Metadata

<System.Collections.Hashtable>] [-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzIntegrationAccountAssembly -AssemblyFilePath <System.String> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Metadata

<System.Collections.Hashtable>] -ResourceId <System.String>

[-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzIntegrationAccountAssembly -ContentLink <System.String> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Metadata

<System.Collections.Hashtable>] -Name <System.String>

-ParentName <System.String> -ResourceGroupName <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzIntegrationAccountAssembly -ContentLink <System.String> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject

<Microsoft.Azure.Commands.LogicApp.Models.PSIntegrationAccountAssembly> [-Metadata

<System.Collections.Hashtable>] [-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzIntegrationAccountAssembly -ContentLink <System.String> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Metadata

<System.Collections.Hashtable>] -ResourceId <System.String>

[-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

The Set-AzIntegrationAccountAssembly cmdlet modifies an integration account assembly.

PARAMETERS

-AssemblyData <System.Byte[]>

The integration account assembly byte data.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-AssemblyFilePath <System.String>

The integration account assembly file path.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ContentLink <System.String>

A publicly accessible link to the integration account assembly data.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.LogicApp.Models.PSIntegrationAccountAssembly>

An integration account assembly.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Metadata <System.Collections.Hashtable>

The integration account assembly metadata.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

The integration account assembly name.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ParentName <System.String>

The integration account name.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

The integration account assembly resource id.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

Microsoft.Azure.Commands.LogicApp.Models.PSIntegrationAccountAssembly

System.String

OUTPUTS

Microsoft.Azure.Commands.LogicApp.Models.PSIntegrationAccountAssembly

NOTES

----- Example 1: Modify an assembly using local file -----

```
Set-AzIntegrationAccountAssembly -ResourceGroupName "sampleResourceGroup" -IntegrationAccountName  
"sampleIntegrationAccount" -AssemblyName "sampleAssembly"  
-AssemblyFilePath $localAssemblyFilePath
```

Properties : Microsoft.Azure.Management.Logic.Models.AssemblyProperties

Id :

/subscriptions/{SubscriptionId}/resourceGroups/sampleResourceGroup/providers/Microsoft.Logic/integrationAccounts/sampleIntegrationAccount/assemblies/sampleAssembly

Name : sampleAssembly

Type : Microsoft.Logic/integrationAccounts/assemblies

Location :

Tags :

Modifies the assembly named "sampleAssembly" using the local file located at the file path contained in "\$localAssemblyFilePath".

----- Example 2: Modify an assembly using byte data -----

```
Set-AzIntegrationAccountAssembly -ResourceGroupName "sampleResourceGroup" -IntegrationAccountName  
"sampleIntegrationAccount" -AssemblyName "sampleAssembly"  
-AssemblyData $assemblyContent
```

Properties : Microsoft.Azure.Management.Logic.Models.AssemblyProperties

Id :

/subscriptions/{SubscriptionId}/resourceGroups/sampleResourceGroup/providers/Microsoft.Logic/integrationAccounts/sampleIntegrationAccount/assemblies/sampleAssembly

Name : sampleAssembly

Type : Microsoft.Logic/integrationAccounts/assemblies

Location :

Tags :

Modifies the assembly named "sampleAssembly" using the a byte array contained in "\$assemblyContent".

----- Example 3: Modify an assembly using a content link -----

```
Set-AzIntegrationAccountAssembly -ResourceGroupName "sampleResourceGroup" -IntegrationAccountName  
"sampleIntegrationAccount" -AssemblyName "sampleAssembly"  
-ContentLink $assemblyUrl
```

Properties : Microsoft.Azure.Management.Logic.Models.AssemblyProperties

Id :

/subscriptions/{SubscriptionId}/resourceGroups/sampleResourceGroup/providers/Microsoft.Logic/integrationAccounts/sampleIntegrationAccount/assemblies/sampleAssembly

Name : sampleAssembly

Type : Microsoft.Logic/integrationAccounts/assemblies

Location :

Tags :

Modifies the assembly named "sampleAssembly" using the a byte data located at the URL "\$assemblyUrl". This is the suggested method for creating large sized assemblies.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.logicapp/set-azintegrationaccountassembly>