



Full credit is given to all the above companies including the Operating System that this PDF file was generated!

Windows PowerShell Get-Help on Cmdlet 'Set-AzIntegrationAccountBatchConfiguration'

PS:\>Get-HELP Set-AzIntegrationAccountBatchConfiguration -Full

NAME

Set-AzIntegrationAccountBatchConfiguration

SYNOPSIS

Modifies an integration account batch configuration.

SYNTAX

```
Set-AzIntegrationAccountBatchConfiguration -BatchConfigurationDefinition <System.String> [-DefaultProfile  
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Metadata  
<System.Collections.Hashtable>] -Name <System.String>  
-ParentName <System.String> -ResourceGroupName <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]
```

```
Set-AzIntegrationAccountBatchConfiguration -BatchConfigurationDefinition <System.String> [-DefaultProfile  
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject  
    <Microsoft.Azure.Commands.LogicApp.Models.PSIntegrationAccountBatchConfiguration> [-Metadata  
<System.Collections.Hashtable>] [-Confirm] [-WhatIf] [<CommonParameters>]
```

```
Set-AzIntegrationAccountBatchConfiguration -BatchConfigurationDefinition <System.String> [-DefaultProfile  
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Metadata
```

```
<System.Collections.Hashtable>] -ResourceId <System.String>
[-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzIntegrationAccountBatchConfiguration -BatchConfigurationFilePath <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Metadata
<System.Collections.Hashtable>] -Name <System.String>
-ParentName <System.String> -ResourceGroupName <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzIntegrationAccountBatchConfiguration -BatchConfigurationFilePath <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject
<Microsoft.Azure.Commands.LogicApp.Models.PSIntegrationAccountBatchConfiguration> [-Metadata
<System.Collections.Hashtable>] [-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzIntegrationAccountBatchConfiguration -BatchConfigurationFilePath <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Metadata
<System.Collections.Hashtable>] -ResourceId <System.String>
[-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzIntegrationAccountBatchConfiguration [-BatchGroupName <System.String>] [-BatchSize <System.Int32>]
[-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-MessageCount
<System.Int32>] [-Metadata <System.Collections.Hashtable>
-Name <System.String> -ParentName <System.String> -ResourceGroupName <System.String> [-ScheduleFrequency
{Month | Week | Day | Hour | Minute | Second}]
[-ScheduleInterval <System.Int32>] [-ScheduleStartTime <System.Nullable`1[System.DateTime]>] [-ScheduleTimeZone
<System.String>] [-Confirm] [-WhatIf]
[<CommonParameters>]

Set-AzIntegrationAccountBatchConfiguration [-BatchGroupName <System.String>] [-BatchSize <System.Int32>]
[-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject
<Microsoft.Azure.Commands.LogicApp.Models.PSIntegrationAccountBatchConfiguration> [-MessageCount
<System.Int32>] [-Metadata <System.Collections.Hashtable>]
```

```

[-ScheduleFrequency {Month | Week | Day | Hour | Minute | Second}] [-ScheduleInterval <System.Int32>]
[-ScheduleStartTime <System.Nullable`1[System.DateTime]>]
[-ScheduleTimeZone <System.String>] [-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzIntegrationAccountBatchConfiguration [-BatchGroupName <System.String>] [-BatchSize <System.Int32>]
[-DefaultProfile

    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer> [-MessageCount
<System.Int32>] [-Metadata <System.Collections.Hashtable>

    -ResourceId <System.String> [-ScheduleFrequency {Month | Week | Day | Hour | Minute | Second}] [-ScheduleInterval
<System.Int32>] [-ScheduleStartTime
        <System.Nullable`1[System.DateTime]>] [-ScheduleTimeZone <System.String>] [-Confirm] [-WhatIf]
    [<CommonParameters>]
```

DESCRIPTION

The Set-AzIntegrationAccountBatchConfiguration cmdlet modifies an integration account batch configuration.

PARAMETERS

-BatchConfigurationDefinition <System.String>

The integration account batch configuration definition.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-BatchConfigurationFilePath <System.String>

The integration account batch configuration file path.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-BatchGroupName <System.String>

The integration account batch configuration group name.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-BatchSize <System.Int32>

The integration account batch configuration batch size.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.LogicApp.Models.PSIntegrationAccountBatchConfiguration>

An integration account batch configuration.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-MessageCount <System.Int32>

The integration account batch configuration message count.

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Metadata <System.Collections.Hashtable>

The integration account batch configuration metadata.

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Name <System.String>

The integration account batch configuration name.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ParentName <System.String>

The integration account name.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceId <System.String>

The integration account batch configuration resource id.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ScheduleFrequency <System.String>

The integration account batch configuration schedule frequency.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ScheduleInterval <System.Int32>

The integration account batch configuration schedule interval.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ScheduleStartTime <System.Nullable`1[System.DateTime]>

The integration account batch configuration schedule start time.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ScheduleTimeZone <System.String>

The integration account batch configuration schedule time zone.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

INPUTS

Microsoft.Azure.Commands.LogicApp.Models.PSIntegrationAccountBatchConfiguration

System.String

OUTPUTS

Microsoft.Azure.Commands.LogicApp.Models.PSIntegrationAccountBatchConfiguration

NOTES

--- Example 1: Modify a batch configuration using local file ---

```
Set-AzIntegrationAccountBatchConfiguration -ResourceGroupName "sampleResourceGroup" -IntegrationAccountName  
"sampleIntegrationAccount" -BatchConfigurationName  
"sampleBatchConfig" -BatchConfigurationFilePath $batchConfigurationFilePath
```

Properties : Microsoft.Azure.Management.Logic.Models.BatchConfigurationProperties

Id :

```
/subscriptions/{SubscriptionId}/resourceGroups/sampleResourceGroup/providers/Microsoft.Logic/integrationAccounts/sampl  
eIntegrationAccount/batchConfigurati  
ons/sampleBatchConfig
```

Name : sampleBatchConfig

Type : Microsoft.Logic/integrationAccounts/batchConfigurations

Location :

Tags :

Modify a batch configuration named "sampleBatchConfig" using the local file located at the file path contained in "\$batchConfigurationFilePath".

- Example 2: Modify a batch configuration using a JSON string -

```
Set-AzIntegrationAccountBatchConfiguration -ResourceGroupName "sampleResourceGroup" -IntegrationAccountName  
"sampleIntegrationAccount" -BatchConfigurationName  
"sampleBatchConfig" -BatchConfigurationDefinition $batchConfigurationContent
```

Properties : Microsoft.Azure.Management.Logic.Models.BatchConfigurationProperties

Id :

/subscriptions/{SubscriptionId}/resourceGroups/sampleResourceGroup/providers/Microsoft.Logic/integrationAccounts/sampleIntegrationAccount/batchConfigurations/sampleBatchConfig

Name : sampleBatchConfig

Type : Microsoft.Logic/integrationAccounts/batchConfigurations

Location :

Tags :

Modify a batch configuration named "sampleBatchConfig" using the a JSON string contained in "\$batchConfigurationContent".

--- Example 3: Modify a batch configuration using parameters ---

```
Set-AzIntegrationAccountBatchConfiguration -ResourceGroupName "sampleResourceGroup" -IntegrationAccountName "sampleIntegrationAccount" -BatchConfigurationName "sampleBatchConfig" -MessageCount 199 -BatchSize 5 -ScheduleInterval 1 -ScheduleFrequency "Month"
```

Properties : Microsoft.Azure.Management.Logic.Models.BatchConfigurationProperties

Id :

/subscriptions/{SubscriptionId}/resourceGroups/sampleResourceGroup/providers/Microsoft.Logic/integrationAccounts/sampleIntegrationAccount/batchConfigurations/sampleBatchConfig

Name : sampleBatchConfig

Type : Microsoft.Logic/integrationAccounts/batchConfigurations

Location :

Tags :

Modify a batch configuration named "sampleBatchConfig" by manually providing all of the necessary parameters.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.logicapp/set-azintegrationaccountbatchconfiguration>