



Windows PowerShell Get-Help on Cmdlet 'Set-AzIntegrationAccountPartner'

PS:\>Get-HELP Set-AzIntegrationAccountPartner -Full

NAME

Set-AzIntegrationAccountPartner

SYNOPSIS

Modifies an integration account partner.

SYNTAX

```
Set-AzIntegrationAccountPartner [-BusinessIdentities <System.Object>] [-DefaultProfile  
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Force] [-Metadata  
<System.Object>] -Name <System.String> -PartnerName  
    <System.String> [-PartnerType {B2B}] -ResourceGroupName <System.String> [-Confirm] [-WhatIf]  
[<CommonParameters>]
```

DESCRIPTION

The Set-AzIntegrationAccountPartner cmdlet modifies an integration account partner. This cmdlet returns an object that represents the integration account partner.

Specify the integration account name, resource group name, and partner name. This module supports dynamic parameters. To use a dynamic parameter, type it in the

command. To discover the names of dynamic parameters, type a hyphen (-) after the cmdlet name, and then press the Tab key repeatedly to cycle through the available parameters. If you omit a required template parameter, the cmdlet prompts you for the value.

PARAMETERS

-BusinessIdentities <System.Object>

Specifies business identities for the integration account partner. It is a nested array, with inner arrays containing the Qualifier as the first object/string and the Value as the second object/string.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-Force <System.Management.Automation.SwitchParameter>

Forces the command to run without asking for user confirmation.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False

Accept wildcard characters? false

-Metadata <System.Object>

Specifies a metadata object for the partner.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Specifies the name of an integration account.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-PartnerName <System.String>

Specifies the name of the integration account partner.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-PartnerType <System.String>

Specifies the type of the integration account. This parameter supports the type B2B.

Required? false

Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceGroupName <System.String>
Specifies the name of a resource group.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>
Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>
Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Management.Logic.Models.IntegrationAccountPartner

NOTES

----- Example 1: Modify an integration account partner -----

```
$BusinessIdentities = @("ZZ","AA"),@("XX","GG")
```

```
Set-AzIntegrationAccountPartner -ResourceGroupName "ResourceGroup11" -Name "IntegrationAccount31"
-PartnerName "IntegrationAccountPartner22" -PartnerType "B2B"
-BusinessIdentities $BusinessIdentities
```

Id :

/subscriptions/<SubscriptionId>/resourceGroups/ResourceGroup11/providers/Microsoft.Logic/integrationAccounts/IntegrationAccount31/partners/IntegrationAccountPartner22

Name : IntegrationAccountPartner22

Type : Microsoft.Logic/integrationAccounts/partners

PartnerType : B2B
CreatedTime : 3/26/2016 7:29:30 PM
ChangedTime : 3/26/2016 7:29:30 PM
BusinessIdentities : [{"Qualifier":"ZZ","Value":"AA"}, {"Qualifier":"XX","Value":"GG"}]
Metadata

This command modify the integration account partner named IntegrationAccountPartner22 in the specified resource group.

----- Example 2 -----

```
Set-AzIntegrationAccountPartner -BusinessIdentities <Object> -Metadata <Object> -Name 'IntegrationAccount31'  
-PartnerName 'IntegrationAccountPartner22' -PartnerType  
B2B -ResourceGroupName 'ResourceGroup11'
```

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.logicapp/set-azintegrationaccountpartner>

Get-AzIntegrationAccountPartner

New-AzIntegrationAccountPartner

Remove-AzIntegrationAccountPartner