



**Full credit is given to all the above companies including the Operating System that this PDF file was generated!**

## ***Windows PowerShell Get-Help on Cmdlet 'Set-AzIntegrationAccountReceivedIcn'***

**PS:\>Get-HELP Set-AzIntegrationAccountReceivedIcn -Full**

### **NAME**

Set-AzIntegrationAccountReceivedIcn

### **SYNOPSIS**

Updates the integration account received interchange control number (ICN) in the Azure resource group.

### **SYNTAX**

```
Set-AzIntegrationAccountReceivedIcn -AgreementName <System.String> [-AgreementType {X12 | Edifact}]  
-ControlNumberValue <System.String> [-DefaultProfile  
                                     <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]  
-IsMessageProcessingFailed <System.Boolean> -Name <System.String>  
-ResourceGroupName <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]
```

### **DESCRIPTION**

The Set-AzIntegrationAccountGeneratedIcn cmdlet updates an existing integration account received interchange control number (ICN) and returns an object that

represents the integration account received interchange control number. Use this cmdlet to update an integration account received interchange control number's message

processing status. You can update an integration account received interchange control number by specifying the integration account name, resource group name,

agreement name, control number value and message processing status. You cannot create a new integration account received interchange control number with this command.

To use the dynamic parameters, just type them in the command, or type a hyphen sign(-) to indicate a parameter name and then press the TAB key repeatedly to cycle

through the available parameters. If you miss a required template parameter, the cmdlet prompts you for the value. Template parameter file values that you specify at

the command line take precedence over template parameter values in a template parameter object. Please do provide the "-AgreementType" parameter to specify whether

X12 or Edifact control numbers to return

## PARAMETERS

-AgreementName <System.String>

The integration account agreement name.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-AgreementType <System.String>

The integration account agreement type (X12 or Edifact).

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ControlNumberValue <System.String>

The integration account control number value.

Required? true  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

-IsMessageProcessingFailed <System.Boolean>

The received message processing status.

Required? true  
Position? named  
Default value None  
Accept pipeline input? False  
Accept wildcard characters? false

-Name <System.String>

The integration account name.

Required? true  
Position? named  
Default value None  
Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

The integration account resource group name.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkId=113216>).

## INPUTS

System.String

## OUTPUTS

Microsoft.Azure.Commands.LogicApp.Utilities.IntegrationAccountControlNumber

## NOTES

### ----- Example 1 -----

```
Set-AzIntegrationAccountGeneratedIcn -AgreementType "X12" -ResourceGroupName "ResourceGroup1" -Name "IntegrationAccount1" -AgreementName "X12IntegrationAccountAgreement" -ControlNumber "123"
```

ControlNumber : 1100

ControlNumberChangedTime : 2/15/2017 12:36:00 AM

IsMessageProcessingFailed : True

This command updates the integration account received X12 interchange control number for a specific integration account agreement and value with message processing status failed.

### ----- Example 2 -----

```
Set-AzIntegrationAccountGeneratedIcn -AgreementType "Edifact" -ResourceGroupName "ResourceGroup1" -Name "IntegrationAccount1" -AgreementName "EdifactIntegrationAccountAgreement" -ControlNumber "123"
```

ControlNumber : 1100

ControlNumberChangedTime : 2/15/2017 12:36:00 AM

IsMessageProcessingFailed : True

This command updates the integration account received Edifact interchange control number for a specific integration account agreement and value with message processing status failed.

## RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.logicapp/set-azintegrationaccountreceivedicn>

Get-AzIntegrationAccountReceivedIcn

Remove-AzIntegrationAccountReceivedIcn