



Windows PowerShell Get-Help on Cmdlet 'Set-AzIpAllocation'

PS:\>Get-HELP Set-AzIpAllocation -Full

WARNING: The names of some imported commands from the module 'Microsoft.Azure.PowerShell.Cmdlets.Network' include unapproved verbs that might make them less discoverable.

To find the commands with unapproved verbs, run the Import-Module command again with the Verbose parameter. For a list of approved verbs, type Get-Verb.

NAME

Set-AzIpAllocation

SYNOPSIS

Saves a modified IpAllocation.

SYNTAX

Set-AzIpAllocation [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObject

<Microsoft.Azure.Commands.Network.Models.PSIpAllocation> [-IpAllocationTag <System.Collections.Hashtable>] [-Tag

<System.Collections.Hashtable>] [<CommonParameters>]

Set-AzIpAllocation [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-IpAllocationTag

<System.Collections.Hashtable>] -Name <System.String> -ResourceGroupName <System.String> -Tag <System.Collections.Hashtable>]

<System.Collections.Hashtable>] [<CommonParameters>]

Set-AzIpAllocation

[-AsJob]

[-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-IpAllocationTag

<System.Collections.Hashtable>] -ResourceId <System.String> [-Tag <System.Collections.Hashtable>]

[<CommonParameters>]

DESCRIPTION

The Set-AzIpAllocation cmdlet updates an Azure IpAllocation

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.Network.Models.PSIPAllocation>

The IpAllocation

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-IpAllocationTag <System.Collections.Hashtable>

The allocation tags of the IP allocation

Required? false
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Name <System.String>

The resource name.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name.

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ResourceId <System.String>

IpAllocation Id

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Tag <System.Collections.Hashtable>

A hashtable which represents resource tags.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

Microsoft.Azure.Commands.Network.Models.PSIPAllocation

OUTPUTS

Microsoft.Azure.Commands.Network.Models.PSIPAllocation

NOTES

----- Example 1 -----

```
Set-AzIpAllocation -ResourceGroupName 'TestResourceGroup' -Name 'TestIpAllocation' -IpAllocationTag  
@{"VnetId"="vnet1"} -Tag @{"TestTag"="TestValue"}
```

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.network/set-azipallocation>