



Windows PowerShell Get-Help on Cmdlet 'Set-AzManagedApplication'

PS:\>Get-HELP Set-AzManagedApplication -Full

NAME

Set-AzManagedApplication

SYNOPSIS

Updates managed application

SYNTAX

```

        Set-AzManagedApplication          [-ApiVersion          <System.String>]          [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Id
        <System.String>          [-Kind          <System.String>]          [-ManagedApplicationDefinitionId          <System.String>]
[-ManagedResourceGroupName <System.String>] [-Parameter <System.String>]
        [-Plan          <System.Collections.Hashtable>] [-Pre] [-Tag          <System.Collections.Hashtable>] [-Confirm] [-WhatIf]
[<CommonParameters>]

```

```

        Set-AzManagedApplication          [-ApiVersion          <System.String>]          [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
        [-Kind          <System.String>] [-ManagedApplicationDefinitionId          <System.String>] [-ManagedResourceGroupName
<System.String>] -Name <System.String> [-Parameter
        <System.String>] [-Plan          <System.Collections.Hashtable>] [-Pre] -ResourceGroupName          <System.String> [-Tag

```

<System.Collections.Hashtable>] [-Confirm] [-WhatIf]

[<CommonParameters>]

DESCRIPTION

The Set-AzManagedApplication cmdlet updates managed applications

PARAMETERS

-ApiVersion <System.String>

When set, indicates the version of the resource provider API to use. If not specified, the API version is automatically determined as the latest available.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Id <System.String>

The fully qualified managed application Id, including the subscription. e.g.
/subscriptions/{subscriptionId}/resourcegroups/{resourceGroupName}

Required? true

Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Kind <System.String>

The managed application kind. One of marketplace or servicecatalog

Required? false
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-ManagedApplicationDefinitionId <System.String>

The managed resource group name.

Required? false
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-ManagedResourceGroupName <System.String>

The managed resource group name.

Required? false
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Name <System.String>

The managed application name.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Parameter <System.String>

The JSON formatted string of parameters for managed application. This can either be a path to a file name or uri containing the parameters, or the parameters as string.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Plan <System.Collections.Hashtable>

A hash table which represents managed application plan properties.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Pre <System.Management.Automation.SwitchParameter>

When set, indicates that the cmdlet should use pre-release API versions when automatically determining which version to use.

Required? false

Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Tag <System.Collections.Hashtable>

A hash table which represents resource tags.

Required? false
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

System.Collections.Hashtable

OUTPUTS

System.Management.Automation.PSObject

NOTES

```
"/subscriptions/mySubId/resourcegroups/myRG/Microsoft.Solutions/applications/myApp" -Tag @{"key" = "value"}
```

This command updates the managed application tag

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.resources/set-azmanagedapplication>