



## ***Windows PowerShell Get-Help on Cmdlet 'Set-AzMarketplaceTerms'***

***PS:\>Get-HELP Set-AzMarketplaceTerms -Full***

### NAME

Set-AzMarketplaceTerms

### SYNOPSIS

Accept or reject terms for a given publisher id(Publisher), offer id(Product) and plan id(Name).

### SYNTAX

Set-AzMarketplaceTerms -Product <String> -Name <String> -Publisher <String> [-SubscriptionId <String>] -Accept  
[-DefaultProfile <PSObject>] [-Break]

[-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential  
<PSCredential>] [-ProxyUseDefaultCredentials]  
[-WhatIf] [-Confirm] [<CommonParameters>]

Set-AzMarketplaceTerms -Product <String> -Name <String> -Publisher <String> [-SubscriptionId <String>] -Reject  
[-DefaultProfile <PSObject>] [-Break]

[-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend <SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential  
<PSCredential>] [-ProxyUseDefaultCredentials]  
[-WhatIf] [-Confirm] [<CommonParameters>]

```
Set-AzMarketplaceTerms -Accept -Terms <IAgreementTerms> [-DefaultProfile <PSObject>] [-Break]
[-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend
<SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm]
[<CommonParameters>]
```

```
Set-AzMarketplaceTerms -Reject -Terms <IAgreementTerms> [-DefaultProfile <PSObject>] [-Break]
[-HttpPipelineAppend <SendAsyncStep[]>] [-HttpPipelinePrepend
<SendAsyncStep[]>] [-Proxy <Uri>] [-ProxyCredential <PSCredential>] [-ProxyUseDefaultCredentials] [-WhatIf] [-Confirm]
[<CommonParameters>]
```

## DESCRIPTION

Accept or reject terms for a given publisher id(Publisher), offer id(Product) and plan id(Name).

## PARAMETERS

-Product <String>

Offer identifier string of image being deployed.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Name <String>

Plan identifier string of image being deployed.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Publisher <String>

Publisher identifier string of image being deployed.

Required? true

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-SubscriptionId <String>

The subscription ID that identifies an Azure subscription.

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

-Accept [<SwitchParameter>]

If any version of the terms have been accepted, otherwise false.

Required? true

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

-Reject [<SwitchParameter>]

Pass this to reject the legal terms.

Required? true

Position? named

Default value            False  
Accept pipeline input?    false  
Accept wildcard characters? false

-Terms <IAgreementTerms>

Terms properties for provided Publisher/Offer/Plan tuple  
To construct, see NOTES section for PARAMETER properties and create a hash table.  
To construct, see NOTES section for TERMS properties and create a hash table.

Required?                true  
Position?                named  
Default value  
Accept pipeline input?    true (ByValue)  
Accept wildcard characters? false

-DefaultProfile <PSObject>

The credentials, account, tenant, and subscription used for communication with Azure.

Required?                false  
Position?                named  
Default value  
Accept pipeline input?    false  
Accept wildcard characters? false

-Break [<SwitchParameter>]

Wait for .NET debugger to attach

Required?                false  
Position?                named  
Default value            False  
Accept pipeline input?    false  
Accept wildcard characters? false

#### -HttpPipelineAppend <SendAsyncStep[]>

SendAsync Pipeline Steps to be appended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

#### -HttpPipelinePrepend <SendAsyncStep[]>

SendAsync Pipeline Steps to be prepended to the front of the pipeline

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

#### -Proxy <Uri>

The URI for the proxy server to use

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

#### -ProxyCredential <PSCredential>

Credentials for a proxy server to use for the remote call

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

#### -ProxyUseDefaultCredentials [<SwitchParameter>]

Use the default credentials for the proxy

Required? false

Position? named

Default value False

Accept pipeline input? false

Accept wildcard characters? false

#### -WhatIf [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

#### -Confirm [<SwitchParameter>]

Required? false

Position? named

Default value

Accept pipeline input? false

Accept wildcard characters? false

#### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,

ErrorAction, ErrorVariable, WarningAction, WarningVariable,

OutBuffer, PipelineVariable, and OutVariable. For more information, see

about\_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

## INPUTS

Microsoft.Azure.PowerShell.Cmdlets.MarketplaceOrdering.Models.Api202101.IAgreementTerms

## OUTPUTS

Microsoft.Azure.PowerShell.Cmdlets.MarketplaceOrdering.Models.Api202101.IAgreementTerms

## NOTES

### COMPLEX PARAMETER PROPERTIES

To create the parameters described below, construct a hash table containing the appropriate properties. For information on hash tables, run Get-Help

about\_Hash\_Tables.

TERMS <IAgreementTerms>: Terms properties for provided Publisher/Offer/Plan tuple To construct, see NOTES section for PARAMETER properties and create a hash table.

[Accepted <Boolean?>]: If any version of the terms have been accepted, otherwise false.

[LicenseTextLink <String>]: Link to HTML with Microsoft and Publisher terms.

[MarketplaceTermsLink <String>]: Link to HTML with Azure Marketplace terms.

[Plan <String>]: Plan identifier string of image being deployed.

[PrivacyPolicyLink <String>]: Link to the privacy policy of the publisher.

[Product <String>]: Offer identifier string of image being deployed.

[Publisher <String>]: Publisher identifier string of image being deployed.

[RetrieveDatetime <DateTime?>]: Date and time in UTC of when the terms were accepted. This is empty if Accepted is false.

[Signature <String>]: Terms signature.

[SystemDataCreatedAt <DateTime?>]: The timestamp of resource creation (UTC).

[SystemDataCreatedBy <String>]: The identity that created the resource.

[SystemDataCreatedByType <CreatedByType?>]: The type of identity that created the resource.

[SystemDataLastModifiedAt <DateTime?>]: The timestamp of resource last modification (UTC)

[SystemDataLastModifiedBy <String>]: The identity that last modified the resource.

[SystemDataLastModifiedByType <CreatedByType?>]: The type of identity that last modified the resource.

----- EXAMPLE 1 -----

```
PS C:\>Set-AzMarketplaceTerms -Publisher "microsoft-ads" -Product "windows-data-science-vm" -Name "windows2016"
-Accept
```

----- EXAMPLE 2 -----

```
PS C:\>Get-AzMarketplaceTerms -Publisher "microsoft-ads" -Product "windows-data-science-vm" -Name "windows2016"
-OfferType 'virtualmachine' | Set-AzMarketplaceTerms
-Accept
```

----- EXAMPLE 3 -----

```
PS C:\>Set-AzMarketplaceTerms -Publisher "microsoft-ads" -Product "windows-data-science-vm" -Name "windows2016"
-Reject
```



----- EXAMPLE 4 -----

```
PS C:\>Get-AzMarketplaceTerms -Publisher "microsoft-ads" -Product "windows-data-science-vm" -Name "windows2016"  
-OfferType 'virtualmachine' | Set-AzMarketplaceTerms  
-Reject
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.marketplaceordering/set-azmarketplaceterms>