



Windows PowerShell Get-Help on Cmdlet 'Set-AzMediaServiceKey'

PS:\>Get-HELP Set-AzMediaServiceKey -Full

NAME

Set-AzMediaServiceKey

SYNOPSIS

Regenerates a key used for accessing the REST endpoint associated with the media service.

SYNTAX

Set-AzMediaServiceKey [-ResourceGroupName] <System.String> [-AccountName] <System.String> [-KeyType] {Primary
| Secondary} [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Confirm] [-WhatIf]
[<CommonParameters>]

DESCRIPTION

The Set-AzMediaServiceKey cmdlet regenerates a key used for accessing the Representational State Transfer (REST) endpoint associated with the media service.

PARAMETERS

-AccountName <System.String>

Specifies the name of the media service that this cmdlet regenerates.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-KeyType <Microsoft.Azure.Management.Media.Models.KeyType>

Specifies the key type of the media service. The acceptable values for this parameter are: Primary or Secondary.

Required? true

Position? 2

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Specifies the name of the resource group that contains the media service.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

NOTES

Example 1: Regenerate the primary key used for accessing the Media Service

```
Set-AzMediaServiceKey -ResourceGroupName "ResourceGroup004" -AccountName "MediaService001" -KeyType  
Primary
```

This command regenerates the primary key for the media service named MediaService001 that belongs to the resource group named ResourceGroup004.

Example 2: Regenerates the secondary key used for accessing the Media Service

```
Set-AzMediaServiceKey -ResourceGroupName "Resourcegroup123" -AccountName "MediaService002" -KeyType  
Secondary
```

This command regenerates the secondary key for the media service named MediaService002 that belongs to the resource group named Resourcegroup123.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.media/set-azmediaservicekey>

Get-AzMediaServiceKey

