



Windows PowerShell Get-Help on Cmdlet 'Set-AzMigrateDiskMapping'

PS: \>Get-HELP Set-AzMigrateDiskMapping -Full

NAME

Set-AzMigrateDiskMapping

SYNOPSIS

Updates disk mapping

SYNTAX

Set-AzMigrateDiskMapping -DiskID <String> [-DiskName <String>] [-IsOSDisk <String>] [<CommonParameters>]

DESCRIPTION

The Set-AzMigrateDiskMapping cmdlet updates a mapping of the source disk attached to the server to be migrated

PARAMETERS

-DiskID <String>

Specifies the disk ID of the disk attached to the discovered server to be migrated.

Required?	true
-----------	------

Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-DiskName <String>

Specifies the name of the managed disk to be created.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

-IsOSDisk <String>

Specifies whether the disk contains the Operating System for the source server to be migrated.

Required? false
Position? named
Default value
Accept pipeline input? false
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

OUTPUTS

----- EXAMPLE 1 -----

```
PS C:\>Set-AzMigrateDiskMapping -DiskID "6000C294-1217-dec3-bc18-81f117220424" -DiskName "ContosoDisk_1"  
-IsOSDisk "True"
```

RELATED LINKS

<https://learn.microsoft.com/powershell/module/az.migrate/set-azmigratediskmapping>