



Windows PowerShell Get-Help on Cmdlet 'Set-AzOperationalInsightsLinkedStorageAccount'

PS:\>Get-HELP Set-AzOperationalInsightsLinkedStorageAccount -Full

NAME

Set-AzOperationalInsightsLinkedStorageAccount

SYNOPSIS

Set linked storage account for workspace

SYNTAX

```
Set-AzOperationalInsightsLinkedStorageAccount [-ResourceGroupName] <System.String> [-WorkspaceName]
<System.String> [-DataSourceType] {CustomLogs | AzureWatson |
Query | Alerts} [-StorageAccountId] <System.String[]> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-Force] [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

Set linked storage account for workspace

-DataSourceType <System.String>

Data Source Type should be one of 'CustomLogs', 'AzureWatson'.

Required? true

Position? 2

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Don't ask for confirmation.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

The resource group name.

Required? true

Position? 0

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-StorageAccountId <System.String[]>

list of storage account Id.

Required? true

Position? 3

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-WorkspaceName <System.String>

The workspace name.

Required? true

Position? 1

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

None

OUTPUTS

Microsoft.Azure.Commands.OperationalInsights.Models.PSLinkedStorageAccountsResource

NOTES

----- Example 1 -----

```
$account = Get-AzStorageAccount -ResourceGroupName "rg-name" -Name "storage-account"
```

```
Set-AzOperationalInsightsLinkedStorageAccount -ResourceGroupName "rg-name" -WorkspaceName "workspace-name"  
-DataSourceType CustomLogs -StorageAccountId $account.Id
```

Id :

/subscriptions/{subscription}/resourceGroups/{rg-name}/providers/Microsoft.OperationallInsights/workspaces/{workspace-name}/linkedStorageAccounts/CustomLogs

Name : customlogs

Type : Microsoft.OperationallInsights/workspaces/linkedStorageAccounts

DataSourceType : CustomLogs

StorageAccountIds :

{/subscriptions/{subscription}/resourceGroups/{rg-name}/providers/Microsoft.Storage/storageAccounts/{storage-account}}

Set linked storage for workspace

RELATED LINKS

Online Version:

<https://learn.microsoft.com/powershell/module/az.operationalinsights/set-azoperationalinsightslinkedstorageaccount>