



Windows PowerShell Get-Help on Cmdlet 'Set-AzSecurityAlert'

PS:\>Get-HELP Set-AzSecurityAlert -Full

NAME

Set-AzSecurityAlert

SYNOPSIS

Updates a security alert state.

SYNTAX

```

Set-AzSecurityAlert -ActionType <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Location
<System.String> -Name <System.String> [-PassThru] [-Confirm] [-WhatIf] [<CommonParameters>]

```

```

Set-AzSecurityAlert -ActionType <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Location
<System.String> -Name <System.String> [-PassThru] -ResourceGroupName <System.String> [-Confirm] [-WhatIf]
[<CommonParameters>]

```

```

Set-AzSecurityAlert -ActionType <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-PassThru] -ResourceId <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

```

Set-AzSecurityAlert [-ActionType <System.String>] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>
-InputObject <Microsoft.Azure.Commands.Security.Models.Alerts.PSSecurityAlert> [-PassThru] [-Confirm] [-WhatIf]
[<CommonParameters>]

Set-AzSecurityAlert [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -InputObjectV3
<Microsoft.Azure.Commands.SecurityCenter.Models.Alerts.PSSecurityAlertV3> [-PassThru] [-Confirm] [-WhatIf]
[<CommonParameters>]

DESCRIPTION

Sets a security alert state.

PARAMETERS

-ActionType <System.String>

Action Type.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.Security.Models.Alerts.PSSecurityAlert>

Input Object.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-InputObjectV3 <Microsoft.Azure.Commands.SecurityCenter.Models.Alerts.PSSecurityAlertV3>

Input Object V3.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-Location <System.String>

Location.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

Resource name.

Required? true

Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

Return whether the operation was successful.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource group name.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-ResourceId <System.String>

Resource ID.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.Security.Models.Alerts.PSSecurityAlert

OUTPUTS

System.Boolean

NOTES

----- Example 1 -----

```
Set-AzSecurityAlert -Location "centralus" -ResourceGroupName "RSG" -Name  
"2518710774294070750_FFF23C70-80EF-4A8B-9122-507B0EA8DFFF" -ActionType Dismiss
```

Dismisses a security alert that was raised.

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.security/Set-AzSecurityAlert>