



Windows PowerShell Get-Help on Cmdlet 'Set-AzSecuritySetting'

PS:\>Get-HELP Set-AzSecuritySetting -Full

NAME

Set-AzSecuritySetting

SYNOPSIS

Update a security setting in Azure Security Center

SYNTAX

```

Set-AzSecuritySetting [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Enabled
<System.Boolean>]
-SettingKind <System.String> -SettingName <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

```

```

Set-AzSecuritySetting [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-Enabled
<System.Boolean>]
-InputObject <Microsoft.Azure.Commands.Security.Models.Settings.PSSecuritySetting> [-Confirm] [-WhatIf]
[<CommonParameters>]

```

DESCRIPTION

The Set-AzSecuritySetting cmdlet updates a specific security setting in Azure Security Center.

PARAMETERS

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Enabled <System.Boolean>

Enables the setting.

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InputObject <Microsoft.Azure.Commands.Security.Models.Settings.PSSecuritySetting>

Input Object.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-SettingKind <System.String>

Setting kind. (DataExportSettings/AlertSyncSettings)

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-SettingName <System.String>

Setting name. (MCAS/WDATP/Sentinel)

Required? true
Position? named
Default value None
Accept pipeline input? False
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.Security.Models.Settings.PSSecuritySetting

Microsoft.Azure.Commands.Security.Models.Settings.PSSecurityDataExportSetting

Microsoft.Azure.Commands.Security.Models.Settings.PSSecurityAlertSyncSettings

System.Boolean

OUTPUTS

Microsoft.Azure.Commands.Security.Models.Settings.PSSecuritySetting

Microsoft.Azure.Commands.Security.Models.Settings.PSSecurityDataExportSetting

Microsoft.Azure.Commands.Security.Models.Settings.PSSecurityAlertSyncSettings

NOTES

----- Example 1 -----

```
Set-AzSecuritySetting -SettingName "MCAS" -SettingKind "DataExportSettings" -Enabled $true
```

```
Id: "/subscriptions/487bb485-b5b0-471e-9c0d-10717612f869/providers/Microsoft.Security/settings/MCAS"
```

```
Name: "MCAS"
```

```
Type: "Microsoft.Security/settings"
```

```
Enabled: true
```

Updates an MCAS data export setting

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.security/Set-AzSecuritySetting>