



Windows PowerShell Get-Help on Cmdlet 'Set-AzSqlDatabaseGeoBackupPolicy'

PS:\>Get-HELP Set-AzSqlDatabaseGeoBackupPolicy -Full

NAME

Set-AzSqlDatabaseGeoBackupPolicy

SYNOPSIS

Sets a database geo backup policy.

SYNTAX

```
Set-AzSqlDatabaseGeoBackupPolicy [-ResourceGroupName] <System.String> [-ServerName] <System.String>
[-DatabaseName] <System.String> [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -State {Disabled |
Enabled} [-Confirm] [-WhatIf] [<CommonParameters>]
```

DESCRIPTION

The Set-AzSqlDatabaseGeoBackupPolicy cmdlet sets the geo backup policy registered to a database. This is an Azure Backup resource that is used to define backup storage policy.

PARAMETERS

-DatabaseName <System.String>

Specifies the name of the database for which this cmdlet sets the geo backup policy.

Required? true

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Specifies the name of the resource group of the server that contains this database.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ServerName <System.String>

Specifies the name of the server that hosts the database.

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-State

<Microsoft.Azure.Commands.Sql.Backup.Model.AzureSqlDatabaseGeoBackupPolicyModel+GeoBackupPolicyState>

Specifies the state of the geo backup policy. The acceptable values for this parameter are: - Enabled

- Disabled

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.Sql.Backup.Model.AzureSqlDatabaseGeoBackupPolicyModel

NOTES

----- Example 1 -----

Set-AzSqlDatabaseGeoBackupPolicy -DatabaseName db1 -ResourceGroupName myresourcegroup -ServerName s1
-State Disabled

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.sql/set-azsqldatabasegeobackuppolicy>

Get-AzSqlDatabaseGeoBackupPolicy

SQL Database Documentation <https://learn.microsoft.com/azure/sql-database/>