



Windows PowerShell Get-Help on Cmdlet 'Set-AzSqlInformationProtectionPolicy'

PS:\>Get-HELP Set-AzSqlInformationProtectionPolicy -Full

NAME

Set-AzSqlInformationProtectionPolicy

SYNOPSIS

Sets the effective tenant SQL information protection policy.

SYNTAX

Set-AzSqlInformationProtectionPolicy [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -FilePath

<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzSqlInformationProtectionPolicy [-AsJob] [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] -Policy

<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

Sets the effective tenant SQL information protection policy.

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-FilePath <System.String>

Specifies a path of a .json file containing SQL Information Protection Policy definition.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Policy <System.String>

Specifies a SQL information protection policy definition. You can specify a path of a .json file or a JSON format string that defines the policy.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.SecurityCenter.Models.SqlInformationProtectionPolicy.PSSqlInformationProtectionPolicy

NOTES

----- Example -----

```
Set-AzSqlInformationProtectionPolicy -FilePath "C:\Users\myUser\Desktop\policy.json"
```

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.security/Set-AzSqlInformationProtectionPolicy>