



Windows PowerShell Get-Help on Cmdlet 'Set-AzSubscriptionDeploymentStack'

PS:\>Get-HELP Set-AzSubscriptionDeploymentStack -Full

NAME

Set-AzSubscriptionDeploymentStack

SYNOPSIS

Sets a new Subscription scoped Deployment Stack.

SYNTAX

```

Set-AzSubscriptionDeploymentStack -ActionOnUnmanage {DetachAll | DeleteResources |
DeleteResourcesAndResourceGroups | DeleteAll} [-AsJob] [-BypassStackOutOfSyncError]
[-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-DenySettingsApplyToChildScopes]
[-DenySettingsExcludedAction <System.String[]>] [-DenySettingsExcludedPrincipal <System.String[]>]
-DenySettingsMode {None | DenyDelete | DenyWriteAndDelete}
[-DeploymentResourceGroupName <System.String>] [-Description <System.String>] [-Force] -Location <System.String>
-Name <System.String> [-Pre] [-QueryString
<System.String>] [-SkipTemplateParameterPrompt] [-Tag <System.Collections.Hashtable>] -TemplateFile
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

```

```

DeleteResourcesAndResourceGroups | DeleteAll} [-AsJob] [-BypassStackOutOfSyncError]

    [-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-DenySettingsApplyToChildScopes]

    [-DenySettingsExcludedAction <System.String[]>] [-DenySettingsExcludedPrincipal <System.String[]>]
-DenySettingsMode {None | DenyDelete | DenyWriteAndDelete}

    [-DeploymentResourceGroupName <System.String>] [-Description <System.String>] [-Force] -Location <System.String>
-Name <System.String> [-Pre] [-QueryString

    <System.String>] [-SkipTemplateParameterPrompt] [-Tag <System.Collections.Hashtable>] -TemplateFile
<System.String> -TemplateParameterFile <System.String> [-Confirm]

    [-WhatIf] [<CommonParameters>]

```

```

Set-AzSubscriptionDeploymentStack -ActionOnUnmanage {DetachAll | DeleteResources |
DeleteResourcesAndResourceGroups | DeleteAll} [-AsJob] [-BypassStackOutOfSyncError]

    [-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-DenySettingsApplyToChildScopes]

    [-DenySettingsExcludedAction <System.String[]>] [-DenySettingsExcludedPrincipal <System.String[]>]
-DenySettingsMode {None | DenyDelete | DenyWriteAndDelete}

    [-DeploymentResourceGroupName <System.String>] [-Description <System.String>] [-Force] -Location <System.String>
-Name <System.String> [-Pre] [-QueryString

    <System.String>] [-SkipTemplateParameterPrompt] [-Tag <System.Collections.Hashtable>] -TemplateFile
<System.String> -TemplateParameterUri <System.String> [-Confirm]

    [-WhatIf] [<CommonParameters>]

```

```

Set-AzSubscriptionDeploymentStack -ActionOnUnmanage {DetachAll | DeleteResources |
DeleteResourcesAndResourceGroups | DeleteAll} [-AsJob] [-BypassStackOutOfSyncError]

    [-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-DenySettingsApplyToChildScopes]

    [-DenySettingsExcludedAction <System.String[]>] [-DenySettingsExcludedPrincipal <System.String[]>]
-DenySettingsMode {None | DenyDelete | DenyWriteAndDelete}

    [-DeploymentResourceGroupName <System.String>] [-Description <System.String>] [-Force] -Location <System.String>
-Name <System.String> [-Pre] [-QueryString

    <System.String>] [-SkipTemplateParameterPrompt] [-Tag <System.Collections.Hashtable>] -TemplateFile
<System.String> -TemplateParameterObject

```

<System.Collections.Hashtable> [-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzSubscriptionDeploymentStack -ActionOnUnmanage {DetachAll | DeleteResources | DeleteResourcesAndResourceGroups | DeleteAll} [-AsJob] [-BypassStackOutOfSyncError] [-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-DenySettingsApplyToChildScopes] [-DenySettingsExcludedAction <System.String[]>] [-DenySettingsExcludedPrincipal <System.String[]>] -DenySettingsMode {None | DenyDelete | DenyWriteAndDelete} [-DeploymentResourceGroupName <System.String>] [-Description <System.String>] [-Force] -Location <System.String> -Name <System.String> [-Pre] [-QueryString <System.String>] [-SkipTemplateParameterPrompt] [-Tag <System.Collections.Hashtable>] -TemplateParameterFile <System.String> -TemplateUri <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzSubscriptionDeploymentStack -ActionOnUnmanage {DetachAll | DeleteResources | DeleteResourcesAndResourceGroups | DeleteAll} [-AsJob] [-BypassStackOutOfSyncError] [-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-DenySettingsApplyToChildScopes] [-DenySettingsExcludedAction <System.String[]>] [-DenySettingsExcludedPrincipal <System.String[]>] -DenySettingsMode {None | DenyDelete | DenyWriteAndDelete} [-DeploymentResourceGroupName <System.String>] [-Description <System.String>] [-Force] -Location <System.String> -Name <System.String> [-Pre] [-QueryString <System.String>] [-SkipTemplateParameterPrompt] [-Tag <System.Collections.Hashtable>] -TemplateParameterFile <System.String> -TemplateSpecId <System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzSubscriptionDeploymentStack -ActionOnUnmanage {DetachAll | DeleteResources | DeleteResourcesAndResourceGroups | DeleteAll} [-AsJob] [-BypassStackOutOfSyncError] [-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-DenySettingsApplyToChildScopes] [-DenySettingsExcludedAction <System.String[]>] [-DenySettingsExcludedPrincipal <System.String[]>] -DenySettingsMode {None | DenyDelete | DenyWriteAndDelete} [-DeploymentResourceGroupName <System.String>] [-Description <System.String>] [-Force] -Location <System.String>

-Name <System.String> [-Pre] [-QueryString
<System.String>] [-SkipTemplateParameterPrompt] [-Tag <System.Collections.Hashtable>] -TemplateParameterFile
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzSubscriptionDeploymentStack -ActionOnUnmanage {DetachAll | DeleteResources |
DeleteResourcesAndResourceGroups | DeleteAll} [-AsJob] [-BypassStackOutOfSyncError]

[-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>
[-DenySettingsApplyToChildScopes]

[-DenySettingsExcludedAction <System.String[]>] [-DenySettingsExcludedPrincipal <System.String[]>
-DenySettingsMode {None | DenyDelete | DenyWriteAndDelete}

[-DeploymentResourceGroupName <System.String>] [-Description <System.String>] [-Force] -Location <System.String>
-Name <System.String> [-Pre] [-QueryString

<System.String>] [-SkipTemplateParameterPrompt] [-Tag <System.Collections.Hashtable>] -TemplateParameterObject
<System.Collections.Hashtable> -TemplateUri
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzSubscriptionDeploymentStack -ActionOnUnmanage {DetachAll | DeleteResources |
DeleteResourcesAndResourceGroups | DeleteAll} [-AsJob] [-BypassStackOutOfSyncError]

[-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>
[-DenySettingsApplyToChildScopes]

[-DenySettingsExcludedAction <System.String[]>] [-DenySettingsExcludedPrincipal <System.String[]>
-DenySettingsMode {None | DenyDelete | DenyWriteAndDelete}

[-DeploymentResourceGroupName <System.String>] [-Description <System.String>] [-Force] -Location <System.String>
-Name <System.String> [-Pre] [-QueryString

<System.String>] [-SkipTemplateParameterPrompt] [-Tag <System.Collections.Hashtable>] -TemplateParameterObject
<System.Collections.Hashtable> -TemplateSpecId
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzSubscriptionDeploymentStack -ActionOnUnmanage {DetachAll | DeleteResources |
DeleteResourcesAndResourceGroups | DeleteAll} [-AsJob] [-BypassStackOutOfSyncError]

[-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>
[-DenySettingsApplyToChildScopes]

[-DenySettingsExcludedAction <System.String[]>] [-DenySettingsExcludedPrincipal <System.String[]>

-DenySettingsMode {None | DenyDelete | DenyWriteAndDelete}
[-DeploymentResourceGroupName <System.String>] [-Description <System.String>] [-Force] -Location <System.String>
-Name <System.String> [-Pre] [-QueryString
<System.String>] [-SkipTemplateParameterPrompt] [-Tag <System.Collections.Hashtable>] -TemplateParameterUri
<System.String> -TemplateUri <System.String> [-Confirm]
[-WhatIf] [<CommonParameters>]

Set-AzSubscriptionDeploymentStack -ActionOnUnmanage {DetachAll | DeleteResources |
DeleteResourcesAndResourceGroups | DeleteAll} [-AsJob] [-BypassStackOutOfSyncError]
[-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-DenySettingsApplyToChildScopes]
[-DenySettingsExcludedAction <System.String[]>] [-DenySettingsExcludedPrincipal <System.String[]>]
-DenySettingsMode {None | DenyDelete | DenyWriteAndDelete}
[-DeploymentResourceGroupName <System.String>] [-Description <System.String>] [-Force] -Location <System.String>
-Name <System.String> [-Pre] [-QueryString
<System.String>] [-SkipTemplateParameterPrompt] [-Tag <System.Collections.Hashtable>] -TemplateParameterUri
<System.String> -TemplateSpecId <System.String> [-Confirm]
[-WhatIf] [<CommonParameters>]

Set-AzSubscriptionDeploymentStack -ActionOnUnmanage {DetachAll | DeleteResources |
DeleteResourcesAndResourceGroups | DeleteAll} [-AsJob] [-BypassStackOutOfSyncError]
[-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[-DenySettingsApplyToChildScopes]
[-DenySettingsExcludedAction <System.String[]>] [-DenySettingsExcludedPrincipal <System.String[]>]
-DenySettingsMode {None | DenyDelete | DenyWriteAndDelete}
[-DeploymentResourceGroupName <System.String>] [-Description <System.String>] [-Force] -Location <System.String>
-Name <System.String> [-Pre] [-QueryString
<System.String>] [-SkipTemplateParameterPrompt] [-Tag <System.Collections.Hashtable>] -TemplateSpecId
<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzSubscriptionDeploymentStack -ActionOnUnmanage {DetachAll | DeleteResources |
DeleteResourcesAndResourceGroups | DeleteAll} [-AsJob] [-BypassStackOutOfSyncError]
[-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]

[-DenySettingsApplyToChildScopes]

[-DenySettingsExcludedAction <System.String[]>] [-DenySettingsExcludedPrincipal <System.String[]>]

-DenySettingsMode {None | DenyDelete | DenyWriteAndDelete}

[-DeploymentResourceGroupName <System.String>] [-Description <System.String>] [-Force] -Location <System.String>

-Name <System.String> [-Pre] [-QueryString

<System.String>] [-SkipTemplateParameterPrompt] [-Tag <System.Collections.Hashtable>] -TemplateUri

<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

DESCRIPTION

Update a subscription scoped deployment stack.

PARAMETERS

-ActionOnUnmanage

<Microsoft.Azure.Commands.ResourceManager.Cmdlets.SdkModels.DeploymentStacks.PSActionOnUnmanage>

Action to take on resources that become unmanaged on deletion or update of the deployment stack. Possible values include: 'detachAll' (do not delete any unmanaged

resources), 'deleteResources' (delete all unmanaged resources that are not RGs or MGs), and 'deleteAll' (delete every unmanaged resource).

Required? true

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-BypassStackOutOfSyncError <System.Management.Automation.SwitchParameter>

Bypass errors for the stack being out of sync when running the operation. If the stack is out of sync and this parameter is not set, the operation will fail. Only

include this parameter if instructed to do so on a failed stack operation.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-DenySettingsApplyToChildScopes <System.Management.Automation.SwitchParameter>

Apply to child scopes.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-DenySettingsExcludedAction <System.String[]>

List of role-based management operations that are excluded from the denySettings. Up to 200 actions are permitted.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-DenySettingsExcludedPrincipal <System.String[]>

List of AAD principal IDs excluded from the lock. Up to 5 principals are permitted.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-DenySettingsMode <Microsoft.Azure.Commands.ResourceManager.Cmdlets.SdkModels.PSDenySettingsMode>

Mode for DenySettings. Possible values include: 'denyDelete', 'denyWriteAndDelete', and 'none'.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-DeploymentResourceGroupName <System.String>

The ResourceGroup at which the deployment will be created. If none is specified, it will default to the subscription level scope of the deployment stack.

Required?	false
Position?	named
Default value	None

Accept pipeline input? False

Accept wildcard characters? false

-Description <System.String>

Description for the stack.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Force <System.Management.Automation.SwitchParameter>

Do not ask for confirmation when overwriting an existing stack.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-Location <System.String>

Location of the stack.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-Name <System.String>

The name of the deploymentStack to create.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	True (ByPropertyName)
Accept wildcard characters?	false

-Pre <System.Management.Automation.SwitchParameter>

When set, indicates that the cmdlet should use pre-release API versions when automatically determining which version to use.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-QueryString <System.String>

The query string (for example, a SAS token) to be used with the TemplateUri parameter. Would be used in case of linked templates

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-SkipTemplateParameterPrompt <System.Management.Automation.SwitchParameter>

Skips the PowerShell dynamic parameter processing that checks if the provided template parameter contains all necessary parameters used by the template. This

check would prompt the user to provide a value for the missing parameters, but providing the -SkipTemplateParameterPrompt will ignore this prompt and error out

immediately if a parameter was found not to be bound in the template. For non-interactive scripts, -SkipTemplateParameterPrompt can be provided to provide a

better error message in the case where not all required parameters are satisfied.

Required?	false
Position?	named
Default value	False
Accept pipeline input?	False
Accept wildcard characters?	false

-Tag <System.Collections.Hashtable>

The tags to put on the deployment.

Required?	false
Position?	named
Default value	None
Accept pipeline input?	False
Accept wildcard characters?	false

-TemplateFile <System.String>

TemplateFile to be used to create the stack.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	True (ByPropertyName)
Accept wildcard characters?	false

-TemplateParameterFile <System.String>

Parameter file to use for the template.

Required?	true
Position?	named
Default value	None
Accept pipeline input?	True (ByPropertyName)

Accept wildcard characters? false

-TemplateParameterObject <System.Collections.Hashtable>

A hash table which represents the parameters.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-TemplateParameterUri <System.String>

Location of the Parameter file to use for the template.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-TemplateSpecId <System.String>

ResourceId of the TemplateSpec to be used to create the stack.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-TemplateUri <System.String>

Location of the Template to be used to create the stack.

Required? true

Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false
Position? named
Default value False
Accept pipeline input? False
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,
ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

OUTPUTS

Microsoft.Azure.Commands.ResourceManager.Cmdlets.SdkModels.PSDeploymentStack

NOTES

Example 1: Updates the subscription scoped deployment stack MySubStack at the current subscription

```
Set-AzSubscriptionDeploymentStack -Name MySubStack -TemplateFile myTemplate.json -Location westus  
-DenySettingsMode DenyDelete
```

Update a subscription scoped deployment stack named 'MySubStack' in the default subscription, with deny settings being DenyDelete.

----- Example 2: Use a .bicepparam file to update a stack -----

```
Set-AzSubscriptionDeploymentStack -Name MySubStack -Location westus -DenySettingsMode DenyDelete  
-TemplateParameterFile "./parameters.bicepparam"
```

This command updates a stack at the subscription scope by using a .bicepparam file on disk.

