



Windows PowerShell Get-Help on Cmdlet 'Set-AzSynapseSqlPoolSensitivityClassification'

PS:\>Get-HELP Set-AzSynapseSqlPoolSensitivityClassification -Full

NAME

Set-AzSynapseSqlPoolSensitivityClassification

SYNOPSIS

Sets the information types and sensitivity labels of columns in the SQL pool.

SYNTAX

Set-AzSynapseSqlPoolSensitivityClassification [-AsJob] -ClassificationObject

<Microsoft.Azure.Commands.Synapse.Models.DataClassification.SqlPoolSensitivityClassificationModel> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-PassThru]

[-Confirm] [-WhatIf] [<CommonParameters>]

Set-AzSynapseSqlPoolSensitivityClassification [-ResourceGroupName] <System.String> [-WorkspaceName]

<System.String> [-SqlPoolName] <System.String> [-AsJob]

-ColumnName <System.String> [-DefaultProfile

<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-InformationType

<System.String>] [-PassThru] -SchemaName <System.String> [-SensitivityLabel <System.String>] -TableName

<System.String> [-Confirm] [-WhatIf] [<CommonParameters>]

```
Set-AzSynapseSqlPoolSensitivityClassification [-AsJob] -ColumnName <System.String> [-DefaultProfile
    <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>] [-InformationType
<System.String>] [-PassThru] -SchemaName <System.String>
    [-SensitivityLabel <System.String>] -SqlPoolObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseSqlPool>
-TableName <System.String> [-Confirm] [-WhatIf]
[<CommonParameters>]
```

DESCRIPTION

The Set-AzSynapseSqlPoolSensitivityClassification cmdlet sets the information types and sensitivity labels of columns in the SQL pool.

PARAMETERS

-AsJob <System.Management.Automation.SwitchParameter>

Run cmdlet in the background

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ClassificationObject

<Microsoft.Azure.Commands.Synapse.Models.DataClassification.SqlPoolSensitivityClassificationModel>

An object representing a SQL Pool Sensitivity Classification.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

-ColumnName <System.String>

Name of column.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with Azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-InformationType <System.String>

A name that describes the information type of the data stored in the column.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-PassThru <System.Management.Automation.SwitchParameter>

This Cmdlet does not return an object by default. If this switch is specified, it returns true if successful.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource group name.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-SchemaName <System.String>

Name of schema.

Required? true

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-SensitivityLabel <System.String>

A name that describes the sensitivity of the data stored in the column.

Required? false

Position? named

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-SqlPoolName <System.String>

Name of Synapse SQL pool.

Required? true
Position? 2
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-SqlPoolObject <Microsoft.Azure.Commands.Synapse.Models.PSSynapseSqlPool>

SQL pool input object, usually passed through the pipeline.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

-TableName <System.String>

Name of table.

Required? true
Position? named
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-WorkspaceName <System.String>

Name of Synapse workspace.

Required? true
Position? 1
Default value None
Accept pipeline input? True (ByPropertyName)
Accept wildcard characters? false

-Confirm <System.Management.Automation.SwitchParameter>

Prompts you for confirmation before running the cmdlet.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-WhatIf <System.Management.Automation.SwitchParameter>

Shows what would happen if the cmdlet runs. The cmdlet is not run.

Required? false

Position? named

Default value False

Accept pipeline input? False

Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String

Microsoft.Azure.Commands.Synapse.Models.DataClassification.SqlPoolSensitivityClassificationModel

Microsoft.Azure.Commands.Synapse.Models.PSSynapseSqlPool

OUTPUTS

System.Boolean

NOTES

Example 1: Set information type and sensitivity label of a column in an Azure Synapse SQL pool.

```
Set-AzSynapseSqlPoolSensitivityClassification -ResourceGroupName ContosoResourceGroup -WorkspaceName  
ContosoWorkspace -SqlPoolName ContosoSqlPool -SchemaName schema  
-TableName table -ColumnName column -InformationType informationType -SensitivityLabel label
```

Example 2: Set recommended information types and sensitivity labels of columns in an Azure Synapse SQL pool.

```
Get-AzSynapseSqlPoolSensitivityRecommendation -ResourceGroupName ContosoResourceGroup -WorkspaceName  
ContosoWorkspace -SqlPoolName ContosoSqlPool |  
Set-AzSynapseSqlPoolSensitivityClassification
```

Example 3: Set information type and sensitivity label of a column in an Azure Synapse SQL pool, using piping.

```
Get-AzSynapseSqlPool -ResourceGroupName ContosoResourceGroup -WorkspaceName ContosoWorkspace -Name
```

ContosoSqlPool | Set-AzSynapseSqlPoolSensitivityClassification

-SchemaName schema -TableName table -ColumnName column -InformationType informationType -SensitivityLabel label

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.synapse/set-azsynapsesqlpoolsensitivityclassification>