



Windows PowerShell Get-Help on Cmdlet 'Set-AzWebAppSlotConfigName'

PS:\>Get-HELP Set-AzWebAppSlotConfigName -Full

NAME

Set-AzWebAppSlotConfigName

SYNOPSIS

Set Web App Slot Config names

SYNTAX

```
Set-AzWebAppSlotConfigName [-ResourceGroupName] <System.String> [-Name] <System.String> [[-AppSettingNames]
<System.String[]>] [[-ConnectionStringNames]
<System.String[]>] [[-RemoveAllAppSettingNames]] [[-RemoveAllConnectionStringNames]] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[<CommonParameters>]
```

```
Set-AzWebAppSlotConfigName [-WebApp] <Microsoft.Azure.Commands.WebApps.Models.PSSite>
[[AppSettingNames] <System.String[]>] [[-ConnectionStringNames]
<System.String[]>] [[-RemoveAllAppSettingNames]] [[-RemoveAllConnectionStringNames]] [-DefaultProfile
<Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>]
[<CommonParameters>]
```

DESCRIPTION

The Set-AzWebAppSlotConfigName cmdlet marks App Settings and Connection Strings as slot settings

PARAMETERS

-AppSettingNames <System.String[]>

App Settings Names String Array

Required? false

Position? 2

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-ConnectionStringNames <System.String[]>

Connection String Names String Array

Required? false

Position? 3

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-DefaultProfile <Microsoft.Azure.Commands.Common.Authentication.Abstractions.Core.IAzureContextContainer>

The credentials, account, tenant, and subscription used for communication with azure.

Required? false

Position? named

Default value None

Accept pipeline input? False

Accept wildcard characters? false

-Name <System.String>

WebApp Name

Required? true

Position? 1

Default value None

Accept pipeline input? True (ByPropertyName)

Accept wildcard characters? false

-RemoveAllAppSettingNames <System.Management.Automation.SwitchParameter>

Remove All App Setting Names Option

Required? false

Position? 4

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-RemoveAllConnectionStringNames <System.Management.Automation.SwitchParameter>

Remove All Connection String Names Option

Required? false

Position? 5

Default value False

Accept pipeline input? False

Accept wildcard characters? false

-ResourceGroupName <System.String>

Resource Group Name

Required? true

Position? 0

Default value None

Accept pipeline input? False
Accept wildcard characters? false

-WebApp <Microsoft.Azure.Commands.WebApps.Models.PSSite>

WebApp Object

Required? true
Position? 0
Default value None
Accept pipeline input? True (ByValue)
Accept wildcard characters? false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug,
ErrorAction, ErrorVariable, WarningAction, WarningVariable,
OutBuffer, PipelineVariable, and OutVariable. For more information, see
about_CommonParameters (<https://go.microsoft.com/fwlink/?LinkID=113216>).

INPUTS

System.String[]

System.String

Microsoft.Azure.Commands.WebApps.Models.PSSite

OUTPUTS

Microsoft.Azure.Management.WebSites.Models.SlotConfigNamesResource

NOTES

----- Example 1 -----

```
Set-AzWebAppSlotConfigName -ResourceGroupName "Default-Web-WestUS" -Name "ContosoWebApp"  
-RemoveAllAppSettingNames -RemoveAllConnectionStringNames
```

This command removes all app settings and connection strings for Web App ContosoWebApp associated with the resource group Default-Web-WestUS

----- Example 2 -----

```
Set-AzWebAppSlotConfigName -AppSettingNames <String[]> -Name 'ContosoWebApp' -ResourceGroupName  
'Default-Web-WestUS'
```

RELATED LINKS

Online Version: <https://learn.microsoft.com/powershell/module/az.websites/set-azwebappslotconfigname>