



Windows PowerShell Get-Help on Cmdlet 'Set-BcdBootTimeout'

PS:\>Get-HELP Set-BcdBootTimeout -Full

NAME

Set-BcdBootTimeout

SYNTAX

Set-BcdBootTimeout [-Value] <long> [[-Store] <BcdStoreInfo>] [-Force] [-WhatIf] [-Confirm] [<CommonParameters>]

PARAMETERS

-Confirm

Required?	false
Position?	Named
Accept pipeline input?	false
Parameter set name	(All)
Aliases	cf
Dynamic?	false

-Force

Required?	false
-----------	-------

Position?	Named
Accept pipeline input?	false
Parameter set name	(All)
Aliases	None
Dynamic?	false

-Store <BcdStoreInfo>

Required?	false
Position?	1
Accept pipeline input?	false
Parameter set name	(All)
Aliases	None
Dynamic?	false

-Value <long>

Required?	true
Position?	0
Accept pipeline input?	false
Parameter set name	(All)
Aliases	None
Dynamic?	false

-WhatIf

Required?	false
Position?	Named
Accept pipeline input?	false
Parameter set name	(All)
Aliases	wi
Dynamic?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

None

OUTPUTS

System.Object

ALIASES

None

REMARKS

None