



### ***Windows PowerShell Get-Help on Cmdlet 'Set-BcdBootToolsDisplayOrder'***

***PS:\>Get-HELP Set-BcdBootToolsDisplayOrder -Full***

#### **NAME**

Set-BcdBootToolsDisplayOrder

#### **SYNTAX**

Set-BcdBootToolsDisplayOrder [-Id] <string[]> [[-Store] <BcdStoreInfo>] -AddFirst [-Force] [-WhatIf] [-Confirm]

[<CommonParameters>]

Set-BcdBootToolsDisplayOrder [-Entry] <BcdEntryInfo[]> -AddFirst [-Force] [-WhatIf] [-Confirm] [<CommonParameters>]

Set-BcdBootToolsDisplayOrder [-Id] <string[]> [[-Store] <BcdStoreInfo>] -AddLast [-Force] [-WhatIf] [-Confirm]

[<CommonParameters>]

Set-BcdBootToolsDisplayOrder [-Entry] <BcdEntryInfo[]> -AddLast [-Force] [-WhatIf] [-Confirm] [<CommonParameters>]

Set-BcdBootToolsDisplayOrder [-Id] <string[]> [[-Store] <BcdStoreInfo>] -Remove [-Force] [-WhatIf] [-Confirm]

[<CommonParameters>]

Set-BcdBootToolsDisplayOrder [-Entry] <BcdEntryInfo[]> -Remove [-Force] [-WhatIf] [-Confirm] [<CommonParameters>]

Set-BcdBootToolsDisplayOrder [-Id] <string[]> [[-Store] <BcdStoreInfo>] [-Force] [-WhatIf] [-Confirm]

[<CommonParameters>]

Set-BcdBootToolsDisplayOrder [-Entry] <BcdEntryInfo[]> [-Force] [-WhatIf] [-Confirm] [<CommonParameters>]

## PARAMETERS

### -AddFirst

|                        |                           |
|------------------------|---------------------------|
| Required?              | true                      |
| Position?              | Named                     |
| Accept pipeline input? | false                     |
| Parameter set name     | AddFirstId, AddFirstEntry |
| Aliases                | None                      |
| Dynamic?               | false                     |

### -AddLast

|                        |                         |
|------------------------|-------------------------|
| Required?              | true                    |
| Position?              | Named                   |
| Accept pipeline input? | false                   |
| Parameter set name     | AddLastId, AddLastEntry |
| Aliases                | None                    |
| Dynamic?               | false                   |

### -Confirm

|                        |       |
|------------------------|-------|
| Required?              | false |
| Position?              | Named |
| Accept pipeline input? | false |
| Parameter set name     | (All) |
| Aliases                | cf    |
| Dynamic?               | false |

#### -Entry <BcdEntryInfo[]>

|                        |                                                        |
|------------------------|--------------------------------------------------------|
| Required?              | true                                                   |
| Position?              | 0                                                      |
| Accept pipeline input? | true (ByValue)                                         |
| Parameter set name     | AddFirstEntry, AddLastEntry, RemoveEntry, ReplaceEntry |
| Aliases                | None                                                   |
| Dynamic?               | false                                                  |

#### -Force

|                        |       |
|------------------------|-------|
| Required?              | false |
| Position?              | Named |
| Accept pipeline input? | false |
| Parameter set name     | (All) |
| Aliases                | None  |
| Dynamic?               | false |

#### -Id <string[]>

|                        |                                            |
|------------------------|--------------------------------------------|
| Required?              | true                                       |
| Position?              | 0                                          |
| Accept pipeline input? | true (ByValue, ByPropertyName)             |
| Parameter set name     | AddFirstId, AddLastId, RemoveId, ReplaceId |
| Aliases                | Identifier                                 |
| Dynamic?               | false                                      |

#### -Remove

|                        |                       |
|------------------------|-----------------------|
| Required?              | true                  |
| Position?              | Named                 |
| Accept pipeline input? | false                 |
| Parameter set name     | RemoveId, RemoveEntry |

|          |       |
|----------|-------|
| Aliases  | None  |
| Dynamic? | false |

#### -Store <BcdStoreInfo>

|                        |                                            |
|------------------------|--------------------------------------------|
| Required?              | false                                      |
| Position?              | 1                                          |
| Accept pipeline input? | false                                      |
| Parameter set name     | AddFirstId, AddLastId, RemoveId, ReplaceId |
| Aliases                | None                                       |
| Dynamic?               | false                                      |

#### -WhatIf

|                        |       |
|------------------------|-------|
| Required?              | false |
| Position?              | Named |
| Accept pipeline input? | false |
| Parameter set name     | (All) |
| Aliases                | wi    |
| Dynamic?               | false |

#### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about\\_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

## INPUTS

System.String[]

Microsoft.Windows.Bcd.Cmdlets.BcdExtensions.BcdEntryInfo[]

OUTPUTS

System.Object

ALIASES

None

REMARKS

None