



Windows PowerShell Get-Help on Cmdlet 'Set-BcdElement'

PS:\>Get-HELP Set-BcdElement -Full

NAME

Set-BcdElement

SYNTAX

```
Set-BcdElement [-Element] <string> [[-Id] <string>] [[-Store] <BcdStoreInfo>] -Type {Boolean | Integer | IntegerList | Entry  
| EntryList | String} [-Force] [-WhatIf]  
[-Confirm] [<CommonParameters>]
```

```
Set-BcdElement [-Element] <string> [[-Id] <string>] [[-Store] <BcdStoreInfo>] -Device {Boot | Partition | File | Ramdisk |  
VHD | Locate | URI} [-Force] [-WhatIf]  
[-Confirm] [<CommonParameters>]
```

```
Set-BcdElement [-Element] <string> [-Entry] <BcdEntryInfo> -Type {Boolean | Integer | IntegerList | Entry | EntryList |  
String} [-Force] [-WhatIf] [-Confirm]  
[<CommonParameters>]
```

```
Set-BcdElement [-Element] <string> [-Entry] <BcdEntryInfo> -Device {Boot | Partition | File | Ramdisk | VHD | Locate |  
URI} [-Force] [-WhatIf] [-Confirm]  
[<CommonParameters>]
```

PARAMETERS

-Confirm

Required?	false
Position?	Named
Accept pipeline input?	false
Parameter set name	(All)
Aliases	cf
Dynamic?	false

-Device <SetBcdElementCommand+DeviceType>

Required?	true
Position?	Named
Accept pipeline input?	false
Parameter set name	Device Id, Device Entry
Aliases	None
Dynamic?	false

-Element <string>

Required?	true
Position?	0
Accept pipeline input?	true (ByValue)
Parameter set name	(All)
Aliases	None
Dynamic?	false

-Entry <BcdEntryInfo>

Required?	true
Position?	1

Accept pipeline input? false
Parameter set name Entry, Device Entry
Aliases None
Dynamic? false

-Force

Required? false
Position? Named
Accept pipeline input? false
Parameter set name (All)
Aliases None
Dynamic? false

-Id <string>

Required? false
Position? 1
Accept pipeline input? false
Parameter set name Id, Device Id
Aliases Identifier
Dynamic? false

-Store <BcdStoreInfo>

Required? false
Position? 2
Accept pipeline input? false
Parameter set name Id, Device Id
Aliases None
Dynamic? false

-Type <SetBcdElementCommand+ElementType>

Required?	true
Position?	Named
Accept pipeline input?	false
Parameter set name	Id, Entry
Aliases	None
Dynamic?	false

-WhatIf

Required?	false
Position?	Named
Accept pipeline input?	false
Parameter set name	(All)
Aliases	wi
Dynamic?	false

<CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

INPUTS

System.String

OUTPUTS

System.Object

ALIASES

None

REMARKS

None