



### ***Windows PowerShell Get-Help on Cmdlet 'Set-Culture'***

***PS:\>Get-HELP Set-Culture -Full***

#### **NAME**

Set-Culture

#### **SYNOPSIS**

Sets the user culture for the current user account.

#### **SYNTAX**

Set-Culture [-CultureInfo] <CultureInfo> [<CommonParameters>]

#### **DESCRIPTION**

The Set-Culture cmdlet sets a specific culture for the current user account. A culture is known as a locale for unmanaged code development. The information includes

the names for the culture, the writing system, the calendar, and formatting for dates and sort strings. For more information, see CultureInfo Class

(<https://go.microsoft.com/fwlink/?LinkID=242306>) and [Configurable Language and Cultural Settings](<https://go.microsoft.com/fwlink/?LinkID=242307>).

## PARAMETERS

-CultureInfo <CultureInfo>

Specifies a culture.

Required? true

Position? 0

Default value None

Accept pipeline input? True (ByValue)

Accept wildcard characters? false

### <CommonParameters>

This cmdlet supports the common parameters: Verbose, Debug, ErrorAction, ErrorVariable, WarningAction, WarningVariable, OutBuffer, PipelineVariable, and OutVariable. For more information, see [about\\_CommonParameters \(https://go.microsoft.com/fwlink/?LinkID=113216\)](https://go.microsoft.com/fwlink/?LinkID=113216).

## INPUTS

## OUTPUTS

## NOTES

Changes made by the use of this cmdlet will take effect on subsequent PowerShell sessions.

----- Example 1: Set the culture -----

PS C:\> Set-Culture -CultureInfo de-DE

This command sets the culture for the current user account to German (Germany).

## RELATED LINKS

[https://learn.microsoft.com/powershell/module/international/set-culture?view=windowsserver2022-ps&wt.mc\\_id=ps-gethelp](https://learn.microsoft.com/powershell/module/international/set-culture?view=windowsserver2022-ps&wt.mc_id=ps-gethelp)

GetCulture Class <https://go.microsoft.com/fwlink/?LinkID=243343>